
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



KENDEL'S Seeds Plants Bulbs



1839 PS YEARS IN BUSINESS 101-105 HIGH AVE

101-105 HIGH AVE. Near Ontario St.

CLEVELAND OHIO

INDEX

Beekeeper's Supplies 45	Small Fruits
Bedding Plants38-39	Herbs 7-8
Bulbs and Roots33-36	Insecticides43-44
Dahlias33-34	Lawn Seeds 1-2
Gladiolus	Perennials40-41
Water Lilies and Aquatics 37	Pets and Supplies47-48
Fertilizers 46	Roses 42
Flower Seeds14-32	Shrubs
Classified List 14	Vegetable Seeds 3-14
Fruit Trees 43	Vines 39

OUR TERMS ARE NET CASH

OUR PRICES—We will adhere as closely as possible to the prices quoted in this Catalogue, but the market value of some seeds is variable. This includes the grass and clover seeds, field seeds and onion setts and these will be quoted upon request.

ORDERS-Please furnish credit references if you do not remit with order.

ADDRESS, Etc.—When ordering, be sure that your NAME, POSTOFFICE, COUNTY and STATE plainly appear in your letter and whether you prefer to have us ship by mail, express or freight, otherwise we will ship cheapest way.

REMITTANCES may be made at our risk, by check, draft, P. O. or express money order, or in sums of \$2.00 or less by registered mail. Unused postage stamps to the amount of \$1.00 will be accepted.

RATES OF POSTAGE

SEEDS BY MAIL—In justice to our many customers who live in this immediate vicinity and are not obliged to consider postage and express charges, we do not include such charges in the prices quoted in our catalogue; the prices given are for goods here in our store. We will continue, however, to mail free all SEEDS in packets and ounces to any amount, any where in the U. S. at catalogue prices. In larger packages, we will mail free in the FIRST, SECOND and THIRD ZONES, all VEGETABLE and FLOWER SEEDS, ROOTS and BULBS to the amount of ONE DOLLAR or over. On lesser amounts, please add 10% to cover postage or at least 7c for the first pound, which is the minimum charge, otherwise we will be obliged to deduct for postage. Beyond the THIRD ZONE please add postage according to the distance. On account of their perishable nature PLANTS should be shipped by express only.

BAGS ARE FURNISHED AT THE FOLLOWING RATES: Pecks, 10c; half-bushels, 20c; one bushel, 30c; two bushel, 50c each. In remitting for orders please add a sum to cover the cost of the necessary bags.

WARRANTS


WARRANTS—We buy our stocks from reliable dealers, some of them for more than sixty years. We make germination tests of each lot of Vegetable Seeds that we offer, thus reducing to a minimum the chances for failure. Our Flower Seeds are always of the new crop and thus of the highest vitality. But we wish to make it clearly understood that because circumstances may arise after seeds are planted, over which we have absolutely no control, we find it necessary as is customary in the Seed Trade to give no Warranty, express or implied, as to description, quality, purity, productiveness, or any other matter of any Seeds, Plants or Bulbs we send out, and will not be responsible in any way, for the crop. If the purchaser does not accept the goods on these terms, they are to be returned at once.

A. C. KENDEL'S SEED STORE.

REMEMBER TO ADD POSTAGE









C. E. KENDEL Proprietor

FOREWORD

T is being realized more and more that fresh vegetables are an essential part of the diet of children between two and twelve years, to build up the body structure properly, otherwise they become rickety and never recover. We can not urge too strongly, the wisdom of planting at least part of the garden to vegetables, radishes, lettuce, tomatoes, onions, beans and salads, this spring, for the sake of the health of the family, if nothing more, but start right by getting OUR SEEDS, suitable for this locality, tested for germination and certain to produce the crop you desire. The low prices this year are in line with the prevailing conditions. Our stocks are as good as ever they have been in the 93 years we have been in business, the best grown. Do not take chances with anything less this year. It never pays anyway.

NEW SEEDS OF MERIT ANNUALS

Escholtzia Ramona. A new California Poppy with frilled edge; color pale coppery gold with pink shading. Packet	\$.15
Godetia, Azalea flowered, cherry red. Free flowering tall strain	.15
Larkspur. Giant Imperial, Miss California, deep pink on salmon	.25
Carmine King. Deep carmine rose	.25
Tall double stock flowered Los Angeles, brilliant rose on salmon	.15
La France, pleasing salmon pink	.15
Petunia, Star of California. Velvety violet crimson with white blotches	.15
Petunia, Dwarf Giant Ramona. Beautiful, fringed large flowering type suitable for pots or borders	.50
Nasturtium. Double sweet scented Golden G'eam. Plants grow about 18 inches high and are covered with double golden yellow flowers well above the foliage on 6 inch stems measuring 2 to 2½ inches in diameter. Packet (12 seeds)	25
Wallflower, Double Early Wonder (Mixed). A new strain that will bloom the first year, if sown early	.25
Zinnia, Crown o'Gold Mixture. Whatever color each flower is overlaid at the base with deep golden yellow. Colors, old rose, pink, cream, carmine, yellow, etc	.25



PERENNIALS

Gaillardia Grandiflora, Burgundy. At last a scarlet perennial that may be used for	
cutting. Shining wine-red flowers, 21/2 inches across, in all ways like the regular	
Blanket Flower except there is no yellow on the petals. Comes 60% true from seed	
and will bloom the first year if started early. In sealed packets direct from the	
originator	.35
Centaurea Macrocephala. Giant yellow flowers on 3 foot stalks; like Sweet Sultan	
but much larger	.10
Leopard's Bane (Doronicum Caucasicum). Yellow, daisy-like flowers, 2 inches across	
on stems, 18 inches high, that bloom during May and June. Grow in partial shade	.50
Greek Mallow (Sidalcea, Rosy Gem). Native plant suitable for the sunny herbaceous border, growing two to three feet high with spikes of rosy pink flowers in June	
and July	.25
King's Spear (Asphodelus Lutea). Tall spikes of golden yellow flowers in June	.15

SUPLEMENTAL LIST. REGULAR LIST BEGINNING PAGE 15

NO.	P	KT.	NO.		KT.
440.	Sunshine Asters. Anemone flowered.		447.	Silene Schafta. Dwarf upright plant	15
	Mixed\$.15	448.	with bright pink flowers	.15
441.	Statice Sinuata. Blue, white, purple vellow or mixed. Each	.10		blue variety for rockeries	.25
442.	Zinnia, Lilliput. Crimson, orange, yel-		531.	Calendula, Radio. Petals are curled and	
	low or mixed. Each	.10	532	twisted: color orange yellow\$ Calendula, Sensation, Double, flat flow-	.25
443.	Cerastium (Snow in Summer.) Trail-		002.	ers; dark orange red	.25
	ing plant with silvery leaves and white flowers	.15	125.	Centaurea Depressa, The Queen. A	
444	Corydalis (Fumitory). Dwarf plants;	.10	599	large flowering blue Bachelor's Button Lantana, Hybrid Mixed, Verbena-like	.15
	yellow flowers for rockeries	.25	555.	flowers in shades of white, red and yel-	
445.				low	.10
	Breath). Trailing plant with white or		321.	Pansy, Roggli's New Giants. The very	
440	pink flowers	.15	110	choicest, rich, dark velvety flowers Verbena Venosa. Dwarf, for rock-gar-	.50
440.	with pink flowers in summer	.10	110.	dens and edging; color, deep lilac	.10

LAWN GRASS SEED

E have for many years given particular attention to lawn grasses that would make a thick sod, withstanding the heat of summer and the cold of winter under the many varying conditions of soil, shade, and location and feel free to say that it takes several different kinds to meet all conditions and no one kind or even mixture will be suitable everywhere. We have four different mixtures as enumerated below, that will pretty well meet the needs of everyone in this part of the country. Shadilawn should be sown very early in the spring, before the leaves on the trees cast much shade; all our



other mixtures may be sown either spring or fall. The most important part of lawn-making is to use plenty of good seed, suitable for the purpose. You will get some kind of a lawn with good seed even if the soil is poor or the conditions bad but with poor seed, never, no matter what else you do. It takes experts to tell the difference before the seed is sown but

not when it comes up. Barnyard manure is not suitable to use on a lawn on account of the weeds that are sure to follow. Top soil that is not infested with Crab Grass or Chick Weed is hard to find and expensive to use. The safest way is to rake in a liberal amount of Sheep Manure and Bone Meal, half and half, as much as a pound of each per square yard and each spring, when the grass is showing green put on more bone meal at the rate of a pound to 5 x 10 feet and you will not only settle the weed trouble but have that nice, thick sod that everyone desires and so few have. On sandy soil a dressing of Peat Moss on top of the seed will greatly increase the catch and conserve the moisture as well as the fertilizer, without choking out any of the lawn.

There is a great diversity of opinion in regard to watering. Frequent watering tends to encourage the grass roots to stay near the surface. They should grow down, the deeper the better. Therefore the less watering is done the less is necessary and then when a drought comes a good soaking will be more effective. Set the mower so the grass will be left longer in July and August as a protection from the heat and clip as short as you like the rest of the time. To leave or not to leave the mowings on the lawn is another controversial question. It seems logical to advise the use of the grass catcher if there are any weeds because some of our worst weeds, notably Crab Grass which turns the lawn so brown in August, are annuals that could be controlled if the seed was gathered. Dandelion heads should certainly be gathered. From September on, the cuttings might be left as a winter protection, but raked out as early as possible in the spring.



LAWN GRASS SEED

This is our well known and increasingly popular mixture of Grass Seeds that will actually make a lawn, no matter how shady nor what makes the shade. Sown early, before the leaves on the trees get started, it will come up promptly and stay all summer. Under Maples and Elms, it is well to put on a light sowing of fertilizer three or four times during the season and a good soaking, when necessary, due to the demands of the tree roots, which usually fill the ground and will cause any grasses to succumb, but in most shady places, SHADI-LAWN will survive better than any other. 1 lb. 60c; 3 lbs. \$1.70; 5 lbs. \$2.75; 10 lbs. \$5.25; 20 lbs. \$10.00; 100 lbs. \$47.50.



LAWN GRASS SEED


This is the same mixture of grasses that we have sold for fifty years with utmost satisfaction. Nothing but the highest grades and cleanest seeds are used. A pound sows 10×20 feet of bare ground. Price: 1 lb. 50c; 3 lbs. \$1.40; 5 lbs. \$2.25; 10 lbs. \$4.25; 20 lbs. \$8.00; 25 lbs. and over $37\frac{1}{2}c$ per lb.

CREEPING BENT MIXTURE. In some localities a tough grass is required that will withstand rough treatment. On Putting Greens it has been found that the Bent Grasses best meet the conditions. This mixture has a liberal proportion of Bent Grass seed and will give that fine tough sod so much desired. A pound sows 15 x 20 feet. Price: 1 lb. 90c; 3 lbs. \$2.50; 5 lbs. \$4.00; 10 lbs. \$7.75; 20 lbs. \$15.00.

"Do Well" Lawn Seed. A mixture of lower priced grass seeds, equally clean but intended for back yards, or for temporary uses. 1 lb. 40c; 3 lbs. \$1.15; 5 lbs. \$1.75; 10 lbs. \$3.25; 20 lbs. \$6.00.

GRASS SEEDS

We carry a full supply of bulk grass seeds, Kentucky Blue and Canadian Blue, Fancy Red Top, White Dutch Clover, Bent Grasses, Fescue Grasses, Timothy, Poa Trivialis—all of the highest grades, thoroughly cleaned and all showing their purity and germination. Prices on application.



Vegetable Seeds

In ordering seeds to be sent by mail, please read what we say under "SEEDS BY MAIL" on the inside front cover page.

AS	P	A	R	A	GI	US

Asparagus seed is much sown to supply foliage for cut flowers, l	but for	the vegetable	two ve	ar old
roots are used, which are ready in March.				
An ounce of seed will make about 200 plants.				

An ounce of seed will make about 200 plants.	Pkt.	Oz.	¼ 1b.	Lb.
MARY WASHINGTON. This variety is superseding all other sorts		\$ 20	\$ 50	\$1 50
301.63	•10	φ .20	φ .50	Φ1.50

BEANS—Dwarf or Bush—(Bush Bohnen)

Beans need more space than is usually believed—at least two inches apart in the rows. Being tender, none should be planted before middle of May, but successive plantings may be made until beginning of August. Unless the garden, through long use is well supplied with the proper legume bacteria, a 35c Composite bottle will inoculate all the Beans, Peas and Sweet Peas you will probably sow and will many times repay the trouble in larger yields. Bean Rust disease is aggravated if beans are cultivated when wet.

One pound will plant 50 feet of row.

GREEN PODDED SORTS			
Pkt.	⅓ 1b.	Lb.	5 lbs.
Burpee's Stringless Green Pod. Round—thick; the earliest in			
our list and enormously productive\$.10	\$.25	\$.40	\$1.75
BOUNTIFUL. Flat; long, early, stringless	.25	.40	1.75
Full Measure. Round; stringless, prolific	.25	.40	1.75
YELLOW OR WAX PODDED SORTS			
WARDWELL'S KIDNEY WAX. Flat; most popular sort in			
this locality	.25	.45	2.00
Improved Golden Wax. Round; good yielder	.25	.45	2 00
Sure Crop Stringless. Thick—flat; seed dark	.25	.45	2.00
Pencil Podded Black Wax. Round; brittle and stringless; seed			
dark	.25	.45	2.00
BEANS—Field or Shell			
Large White Cranberry or Marrow Bean. Used as an Pkt. 1/2 lb. early shell bean	Lb. \$.35	5 lbs. \$1.50	10 lbs. \$2.50
White Pea or Navy. The most popular baking bean10 3.20	.35	1.50	2.50
The most popular baking bean	•00	1.00	2.00

BEANS—Bush—Lima

Limas can not be planted as early as other beans, but time may be gained by opening a three inch trench the day before planting, so the sun will warm the ground enough, and sticking the seeds eye down, eight to eighteen inches apart according to the fertility of the soil and just deep enough to be in sight. As they sprout, fill up the trench. Cracked or broken seeds will not grow. When the bushes are well set with pods put a tablespoonful of fertilizer, high in phosphoric acid, around each plant which will greatly increase the yield.

will greatly increase the fierd.	i Kt.	72 10.	LU.	JIDS.
Henderson's Bush Lima. An excellent bush form	\$.10	\$.25	\$.45	\$2.00
FORDHOOK BUSH. Large thick beans of the best quality	15	.30	.50	2.25
Burpee's Improved Bush Lima	15	.30	.50	2.25
DEANG Dala on Dunning	æ			-

DEANS—Fole of Ruilling			
	⅓ 1b.	Lb.	5 1bs.
	\$.25	\$.40	\$1.60
Kentucky Wonder Wax. This yellow podded sort is of similar			
habit to the above	.25	.45	2.00
Scarlet Runner. Flowers bright scarlet, pods green	.30	.50	2.25


BEANS—Pole Lima				
		½ lb.		
Early Leviathan. Extremely productive	\$.10	\$.25	\$.45	\$2.00
King of the Garden Uniformly large hears of excellent quali	tsz 10	25	.45	2.00

BEET—(Rothe Ruebe) Sow in rows twelve to fifteen inches apart, one inch deep and thin as they grow until they stand two or three inches apart. The greens are very palatable. Unless the earth is firmly packed after the seeds are sown, the stand will be poor.

One ounce will sow 50 feet of row.

Pkt. Oz. ½ 1b. Lb.

one ounce with con or rece or row	T 10 0.	02.	/4	
deep red; matures uniformly. Good for later sowings	.10	\$.15 .15	\$.40 .40	\$1.25 1.25
Detroit Dark Red Turnip. Best late sort	.10	.15	.40	1.25
Early Blood Turnip. (Edmand's.) The best beet for general	.10	.15	.40	1.25



BEETS (Continued) VARIETIES GROWN FOR FEEDING STOCK

VARIETIES GROWN FOR FEEDING ST	OCK		
White Silesian Sugar. Very sweet and keeps well\$.10 Giant Half Sugar Rose. A large variety adapted especially to	Oz. \$.15	\$\frac{1}{4} \text{1b.} \\ \\$\frac{1}{20}	Lb. \$.65
heavy soil	.15	.20	.60
size	.15	.20	.60
SWISS CHARD			
Used wholly as greens. Sow the same as beet and thin to one foot apart, the remaining plants grow, break off the lower leaves as wanted until frost of Chard.			
Pkt. Smooth Leaf Yellow. Stems make a good substitute for asparagus			Lb. \$1.25
BORAGE. See under Herbs	φ .13	φ .4U	φ1.23
BROCCOLI—(Rosen Kohl)			
Very much like Cauliflower but more easily grown. May be sown early is middle of May, or sown outside in June for fall.	_		
Early Green Italian or Calabrese. The variety best suited to		1/4 lb.	Lb.
our region		\$3.50	
BRUSSELS SPROUTS—(Sprossen Koh		inch or	two in
A variety of the cabbage family producing a great number of small caldiameter along the stem until severe frost. Cut off part of the stem of the Sprouts room to develop.	lower lea	aves to g	ive the
	Oz.	⅓ 1b.	Lb.
region\$.10	\$.35	\$1.00	\$3.00
CABBAGE—(Kopf Kohl)			
Aside from selecting cabbage seed of known origin and suitable for this l is to have the land free from the so-called Club Root disease. Cabbage should a flower, Turnip or Cabbage and the leaves of none of these should be allowed otherwise cabbage plants will form large, worthless roots and no head. For a plants are ready in May.	to get ba	ack on th	e land,
Sow one ounce for 3000 plants. Pkt.	Oz.	¼ 1b.	Lb.
Golden Acre. A new extra early round headed cabbage somewhat smaller but a week earlier than Copenhagen Market \$.10 Copenhagen Market. Heads are very solid, a most desirable	\$.60	\$1.75	\$6.00
kind for small gardens	.50	1.50	4.00
medium size	.30	1.00	3.00
Holland or Danish Ball Head. One of the best keeping sorts for winter	.35	1.25	3.50
Late Premium Flat Dutch. A standard variety; very large heads; used for kraut	.30	1.00	3.00
Perfection Drumhead Savoy. Finely curled; keeps well; best for boiling	.40	1.25	3.75
Mammoth Rock Red. The head is large, round and solid10 Chinese or Celery Cabbage, Pe Tsai. Can be served as a salad	.40	- 1.25	4.00
or cooked like cabbage	.40	1.00	3.00
CARROT—(Gelbe Ruebe, Mohruebe)			
Sow thinly, a half inch deep, thinning as they grow, leaving one plant of Rich soil is essential but fresh manure should be used the year before, so the One ounce will sow 150 feet of row.	e carrots	do not for	rk.
CHANTENAY or HALF LONG SCARLET STUMP ROOTED.	Oz.	¼ lb.	Lb.
The standard sort for general purposes, early or late\$.10 Early Scarlet Horn. Half-long, stump-rooted	\$.15 .15 .15	\$.35 .35 .35	\$1.00 1.25 1.00
VARIETIES GROWN FOR FEEDING ST	госк		
Pkt. Improved Long Orange, Medium long\$.10	Oz. \$.15 .15	\$.35 .35	Lb. 1.00 1.00
Large Orange Belgian. Is very large and good quality	15	.35	1.00



CAULIFLOWER—(Blumenkohl)

The weather has more to do with success in raising Cauliflower than almost any other vegetable. If it is cool, good heads may be expected, if not, the crop will be more or less of a failure, anything but the very best seed however, invites failure from the very outset. Because the price of seed runs into large figures is a very poor reason for trying to save a dollar on the seed. The crop is what you want and no poor seed will ever produce a good crop of anything except trouble and disappointment.

One ounce will produce 3000 plants.

Plants ready in May			
Pkt.	¼ Oz.	¹⁄₂ Oz.	Oz.
Danish Giant—Dry Weather. It is a valuable variety for grow-			
ing in sections having long dry seasons\$.25	\$. 7 5	\$1.25	\$2.25
Extra Early Dwarf Erfurt. Very white, compact heads	.75	1.25	2.50
Early Snowball. Dwarf and compact; very reliable for heading25	.7 5	1.25	2.50

CELERY—(Sellerie)

One important factor in raising celery from seed is to have the seed bed fine and the seed firmly packed down when it is sown, a half inch deep. Next it is necessary to keep it growing—a check in growth is sure to be followed by hollow celery. In the garden, plants which are ready in June, may be set out four inches apart between alternate rows of early corn, affording necessary shade at the start. After the corn is pulled the stalks should be removed to let the celery grow. Plant only the best plants.

	PKt.	Uz.	½ ID.	Lb.
Golden Plume. A new very early variety of the Golden Self	f			
Blanching type; matures very early; brittle and handsome	.\$.10	\$.80	\$3.00	\$10.00
Golden Self-Blanching. French grown; tall strain; most com-				
monly used; early sort	10	.75	3.00	10.00
Large-Stalked, Golden Self-Blanching. Proven Stock. This	3			
seed we know to be pure and solid, and our growers need	1			
fear no failure on account of hollow celery	10	1.00	3.50	12.00
Giant Pascal. Best quality for fall and winter use; crisp and of	f			
an excellent flavor	10	.40	1.00	3.50
Giant Pascal Proven Stock. We have a little of the old seed	1			
that is of known purity. Date of crop on each package	10	.45	1.25	4.00
Celery Seed for Flavoring. Used in flavoring pickles, soup, etc.	,	.10		.60
	~ .			

CELERIAC—or Turnip Rooted Celery

		Pkt.	Uz.	¼ lb.	Lb.
Large Smooth Prague.	Very popular	\$.10	\$.35	\$1.00	\$3.00

CHERVIL—(Kerbel)—See under Herbs

CHICORY—(Chicorien)

The roots are dried and ground up to be either mixed with coffee or used as a substitute. Cultivated the same as carrots.

Pkt. Oz. 1/4 lb. Lb.


Large Rooted. The variety most generally used......\$.10 \$.25 \$.75 \$2.00 Witloof. See under Endive.

COLLARDS

Belongs to the cabbage family but does not head, growing a tall leafy stalk, the leaves being cooked as greens.

Pkt. Oz. 1/4 lb. Lb.

Georgia. The sort usually used largely in the south.......\$.10 \$.15 \$.40 \$1.00



CORN—(Zucker Mais)

Plant in rows and thin out inferior stalks, leaving a strong stalk each foot or fifteen inches. Rows may be thirty inches apart for early dwarf and forty-eight inches for late tall sorts. Plant a half inch





CORN (Continued)

deep at first and deeper as the ground warms up, but three inches is the limit. The suckers should be twisted off when they get six or eight inches high and the stalks hilled up when a foot high. Shallow cultivating is important because the corn roots are near the surface. Two plantings may be made but if more are wanted, it is safer to plant later sorts early. May 10th is, on an average, the earliest safe date to plant corn, but a few plants can be started in small pots earlier and planted out after danger from frost has passed.

One pound will plant 100 feet of row or 100 hills.

One pound will plant 100 feet of row or 100 hills.	Pkt.	7 / 1L	T 1.	F 11	10.11
KENDEL'S EARLY GIANT. Our own introduction of		½ lb.	Lb.	5 lbs.	10 lbs.
1897 and still the largest eared, white grained Sweet					
Corn on the market and planted everywhere in the corn belt. It is sweet and tender and commands					
top prices because of its size. Roasting ears are					
ready in 60 days on sand	\$.10	\$.20	\$.35	\$1.40	\$2.50
eared Golden Bantam and grows on a taller stalk.					
It has lost none of the sugary sweetness that has					
made the latter so popular and the ears are two or three inches longer and only three or four days					
later	.10	.20	.40	1.50	2.75
Burpee's Golden Bantam. Our stock is Ohio grown		20	25	= 40	
and thus suitable for this region		.20	.35	1.40	2.50
Golden Bantam being a cross with Stowell's Ever-					
green. Stalks six feet; ears medium large and often two on a stalk	.10	.20	.35	1.40	2.50
White Cob Cory. The earliest genuine sweet corn.	.10	.20	.00	1.40	2.30
Quite acceptable on the table until the later, sweeter		20	25	- 40	
Howling Mob. The description of Early Giant would	.10	.20	.35	1.40	2.50
fit this variety and it has become popular among					
the market gardeners in the east. Our stock is Ohio grown and dependable		.20	.35	1.40	2 50
Black Mexican. Old timers appreciate this wonder-		.20	.33	1.40	2.50
fully sweet corn. Many people think that because	:				
the kernels are blue they are poisonous and miss a real treat. Stalks are short, permitting close plant-					
ing; medium early	.10	.20	.35	1.40	2.50
Country Gentlemen. Also called Shoe Peg. A late					
sort, very sweet; kernels deep and thin and grow irregularly on the cob		.20	.35	1.40	2,50
Stowell's Evergreen. The standard late sort. Large	:				_,,,
ears; deep grains; fairly sweet; largely used for canning and drying		.20	.35	1.40	2.50
				1.40	2.50
CORN SALAD—(Ack	er Sai	lat)			
Sown and handled the same as lettuce and used in	the sar	ne			
way.		Pkt.	Oz.	¼ lb.	Lb.
Broad Leaved. The kind generally sown		\$.10	\$.20	\$.60	\$1.75
CRESS—(Kress					
CRESS—(Kress	e)	Pkt.	0-	7/15	T 1.
Both kinds of cress are used for salads, more ofte	n to le		Oz.	⅓ 1b.	Lb.
flavor.					
Peppergrass. Easily grown in a short time in the gar True Water Cress. Grows along running streams and			\$.15	\$.30	\$1.00
hot beds or the green house			.50	1.50	5.00
CHCHMPED (C	, ,				
CUCUMBER—(G		lo and the			
The chief difficulty with raising cucumbers is the strip early planting in sods or berry boxes end of April, to be set	out begi	nning of	Se may	be conque then dust	ing the
vines with Slug Shot after every rain. Plant out doors end	or June	Pkt.	os. Oz.	¼ 1b.	Lb.
IMPROVED WHITE SPINED. This variety has taken		ead	02.	74 10.	LU.
for many years, not only as a cucumber but for this			\$.20	\$.50	\$1.50
Davis Perfect. A dark green sort, tender and fine qua Improved Long Green. Late variety, flavor excellent			.20 .20	.50 .50	1.50 1.50
Boston Pickling. Popular variety for pickles, brig	ht gre	en,			
short and symmetrical	olor	10	.20 .20	.50 .40	1.50 1.00



DANDELION—(Pardeblum)

Although great quantities of wild dandelion greens are gathered every spring, few people know that the cultivated varieties have much larger leaves and are not as bitter.

Pkt. Oz. ¼ lb. Lb. Improved Thick Leaved. The kind usually sown.....\$.10 \$.75

EGG PLANT—(Eier Pflanze)

Potato bugs are just as bad on Egg Plants as they are on potatoes, so be ready with Arsenate of Lead or Slug Shot when they appear. The seed will not grow well under about 80 deg. temperature, so get potted plants end of May, if you want only a few and set them out two feet apart.

Pkt. Oz. ½ lb. Lb.

	. A.L.	OZ.	74 10.	LU.
Black Beauty. An extremely early variety\$.10	\$.50	\$1.50	
		Ψ .00	Ψ	
Early Long Purple. Rich dark color	.10	.50	1.50	
N N 1 I I I I I I I I I I I I I I I I I	•			
New York Improved Purple. The best for general culture	10	.50	1.50	
The Best to Benefat Cartainer.	.10		1.00	

ENDIVE—(Endivien)—Escarolle

The slightly bitter taste of this excellent salad plant is an agreeable change from lettuce and is at its best when lettuce is past its prime. Endive is handled much like lettuce, taking longer to grow, but requires blanching, which is done when the plants are large enough, by gathering the outside leaves together and tying them with raffia, not at the ends but about half way up, a few at a time, allowing three weeks to blanch, when they must be used or they will decay. As frost comes the plants can be lifted, soil and all and stored in baskets in a cool place where they will keep for a month.

White Curled. Light green, almost white	.10 .10	() z. \$.20 .20 .20 .20	14 lb. \$.50 .50 .50 .50	Lb. \$1.50 1.50 1.50 1.50
the winter	.10	.20	.60	2.00

HERBS-Sweet, Pot and Medical

A small space in the garden may be used to good advantage for the cultivation of a few of the most useful and desirable herbs. Their cultivation is very simple, but little care being needed beyond keeping down the weeds. Sow in April or May in drills twelve to fifteen inches apart, and thin out the young plants where they stand too thick.

	PKT.	OZ.
ANISE. (Pimpinella anisum.) An annual herb cultivated principally for its		
seeds which have a fragrant, agreeable smell and a pleasant taste; used		
medicinally for aromatic cordials, colic and nausea. The leaves are some-	A 10	\$.25
times used for garnishing and flavoring	9 .10	Ф.45
ANISE, for flavoringLB50		
BASIL, SWEET. (Ocimum basilicum.) A hardy, aromatic annual	.10	.25
BORAGE. (Borago officinalis.) A hardy annual used as a pot herb and for		
bee pasturage	.10	.25
BURNET, Garden Perennial	.10	.25
CARAWAY. (Carum carui) A well known herb, cultivated for its seeds,		
which are used in confectionery, cakes, etc. The plants never seed till the		
second year	.10	.25
CHERVIL. (Curled.). Used like Parsley.	.10	.30
	•10	.00
CORIANDER. (Coriandrum sativum.) A hardy annual cultivated for its seed		
which has an agreeable taste and is used in confectionery and to disguise	40	25
the taste of medicine	.10	.25
CORIANDER. For flavoringLB40		
DILL. (Anethum graveolens.) An annual of aromatic odor and warm pun-		
gent taste. Its seeds are used for seasoning. It posseses medicinal prop-		
erties but its largest use is for making Dill pickles. Plant branching, two		
to three feet high; leaves very much cut into thread-like segments; flowers		
small, yellowish, borne in umbels. Seed flat	.10	.20
DILL. For flavoring		
FENNEL, SWEET. (Foeniculum officinale.) A hardy perennial	.10	.20
FENNEL. For flavoring	•20	
HOREHOUND. (Marrubium vulgare.) A perennial herb with an aromatic		
	.10	.25
odor	.10	.50
HYSSOP. (Hyssopus officinalis.) A hardy perennial with an aromatic odor	.10	.00
LAVENDER. (Lavendula vere.) A hardy perennial, growing about two feet		
high. It is used for the distillation of lavender water or dried and used to	10	AF
perfume linen	.10	.75



HERBS (Continued)

Tieres (Continued)			
MARJORAM, SWEET. (Origanum marjorana.) An aromatic herb for	or sea-		
ROSEMARY. (Rosmarinus officinalis.) A hardy perennial, with fragra		.10	.40
and a warm bitter taste. The leaves are used for flavoring mea	ts and		
soups, and for medicinal drinks		.10	.50
SAFFRON. (Carthamus tinctorius.) A hardy annual. Cultivated	for its		
flowers which are used principally for coloring, sometimes for flavori	ng and		
to make the cosmetic powder called rouge. The flowers should be	picked		
while in full bloom		.10	.40
SAGE. (Salvia officinalis.) One of the most extensively used herbs for sing. It is also believed to possess medicinal properties. Hardy per			
about fifteen to eighteen inches high. Plant very branching; flowe			
ally blue, sometimes pink or white; leaves grayish green, oval, wi	inkled.		
Cut the leaves and tender shoots just as the plant is coming into flow	er and		
dry quickly in the shade. The plants will survive the winter and			
divided. If this is done they will give a second crop superior in quali	ty	.10	.25
SAVORY, SUMMER. (Satureia hortensis.) A hardy aromatic annual	twelve		
to fifteen inches high, the dried stems, leaves and flowers of which tensively used for seasoning, especially in dressings and soups		.10	.40
SORREL. (Large leaved.) Perennial		.10	.20
TANSY. (For bitters.) Perennial		.10	.40
THYME. (Thymus vulgaris.) An aromatic perennial herb, eight to ten	inches		
high, used principally for seasoning. Plant very branching with w			
liage and small lilac flowers. Sometimes the leaves are used to mak			
for the purpose of relieving nervous headache. Sow as early as the		10	40
will permit WOODRUFF, SWEET		.10 .10	.60
WORMWOOD. (Artemisia absinthium.) A perennial plant of fragra	nt and	.10	.70
spicy odor		.10	.40
KALE—(Krausskohl, Blaetterkohl)			
Seed is started in May and the plants are set out in June a foot apart and	handlad	lilro ool	hhaaa
After a light frost the leaves are cooked and served much like spinach.	папапец	iike cai	obage.
One ounce will make 5000 plants. Pkt.	Oz.	1/4 lb.	Lb.
Dwarf Curled Scotch. For fall and early winter use, sow the	UZ.	74 10.	LU.
seed in spring. For late winter and early spring use sow in			
September\$.10	.15	\$.40	\$1.25
Tall Curled Scotch. A sort growing about two feet tall10	.15	.40	1.25
KOHLRABI—(Kohlrabi)			
This is practically a turnip growing above ground. Sown early and thinly the	bulbs a	re edible	from
This is practically a turnip growing above ground. Sown early and thinly the time they are two inches in diameter. By thinning and using, those that larger but they will finally get woody and worthless. It is not commonly known	remain	keep gr	owing
tastes like a mild radish.	_		
Pkt.		¼ lb.	Lb.
Early White Vienna. Most generally used	.25 .25	\$.75	\$2.50 2.50
Early Furple Viellia. Identical, except in color	.43	.75	2.30
LETTUCE—(Lattich Salat)			
While lettuce may be had at the grocer's the year around, the garden still pr	oduces b	etter tha	n can
be bought and its care and culture are so simple that the children can run that payons to be so is the Root Aphis and this is easily controlled with a sowing of Toba	art of the reo Dust	in the f	urrow
under the seed. An occasional watering with Nitrate of Soda will greatly aid	lettuce	to large	size.
to six inches apart and the less these are watered the better, to prevent rotting	in the	heart. C	ertain
While lettuce may be had at the grocer's the year around, the garden still probe bought and its care and culture are so simple that the children can run that personal worst pest is the Root Aphis and this is easily controlled with a sowing of Toba under the seed. An occasional watering with Nitrate of Soda will greatly aid Loose leaf sorts may be gathered when large enough—heading kinds should be to six inches apart and the less these are watered the better, to prevent rotting kinds are intended for inside; outdoors these are apt to be tough and bitter.	0-	1/11	Th
GRAND RAPIDS. A leaf lettuce best suited for hot-beds or	Oz.	¼ lb.	Lb.
	\$.20	\$.60	\$2.00
7.10		+	7

GRAND RAPIDS. A leaf lettuce best suited for hot-beds or				
green house	.10	\$.20	\$.60	\$2.00
Black Seeded Simpson. A curly leafed sort sown both outdoors				
and inside	.10	.20	.60	2.00
Big Boston. A fine, large heading sort both for forcing and				
outside; leaves red edged	.10	.20	.50	1.50
NEW HANSON. The best loose-leaf sort for home use out-				
side. Usable from the time it is large enough, and slow to				
run to seed	.10	.20	.50	1.50
May King. The earliest heading sort for forcing		.20	.60	2.00
ICEBERG. (New York.) The best large heading sort for out-				
side	.10	.25	.75	2,50
Trianon Self-Closing Cos. A late heading sort, growing tall			-	
	.10	.20	.60	2.00
Mignonette. (Brown Dutch.) A late heading sort that will	•10	.20		2.00
withstand the cold longest	10	.20	.60	2.00
withstand the cold longest		.20	.00	2.00



LEEK—(Lauch) Much like an onion in flavor but has no bulb. Used mostly in soups. Pkt. Oz. 1/4 lb. Lb. \$.25 .75 \$2.50 2.50

WATER MELON—(Wasser Melone)

Plant six or eight seeds in hills eight feet apart in which a peck of well rooted manure or compost has been spaded in and when they are beginning to vine leave three plants to a hill. Keep Slug Shot handy, for the bugs. Only early kinds will get ripe here, so our list is not long.

One ounce is needed for 20 hills.

Ice Cream. Ferry's Peerless. Medium size; oblong; very	kt.	Oz.	¼ lb.	Lb.
sweet	.10	\$.15	\$.40	\$1.00
quality	.10	.15	.40	1.00
Mountain Sweet. Very solid and crisp, early	.10	.15	.40	1.00
Sweet Heart. Large, very tender and sweet	.10	.15	.40	1.00
Tom Watson. Dark red flesh of splendid flavor. A little later				
than the other sorts	.10	.15	.40	1.00

MITICULATED ONE //Z I NA I

MUSKMELUN—(Zucker Melone)			
Cultivated the same as Watermelons but the hills may be six feet apart. if cucumbers are grown near by.	The flavor	will be	spoiled
Pkt.	Oz.	¼ lb.	Lb.
Extra Early Nutmeg. Small but so early that it is sure to			
ripen\$.10	\$.20	\$.60	\$2.00
Emerald Gem. Very early; salmon flesh; dark green skin10	.20	.50	1.75
Extra Early Hackensack. Round; good size; green flesh 10	.20	.50	1.75
Rocky Ford. Medium early; oval; sweet; ships well	.20	.50	1.75
Bender's Surprise. Oval shaped; salmon flesh which is very	•=•	•••	1.70
thick; large size and fine flavor, netted skin	.20	.50	1.75
Honey Ball. Green flesh; round and slightly netted; light green	.20	.00	1.75
	.20	40	2.00
		.60	2.00
Osage. Salmon flesh; oval; dark green skin; high flavor10	.20	.50	1.75
Paul Rose. Orange yellow flesh; oval; fine flavor; best in heavy			
soil	.20	.50	1.75

MUSTARD—(Senf)

The green leaves are used as a salad or boiled like spinach. Sow a half inch deep in rows eighteen inches apart, every few weeks in the summer if a continuous supply is wanted. The seeds of both kinds listed are largely used in pickles and the white is the mustard of commerce.

				¼ lb.	
White English.	The kind commonly used for sowing	\$.10	\$.15	\$.30	\$.75
Brown. Sown v	with garden Cress for green salad		.15	.30	.75

MUSHROOM—(Erdschwamm)

The chief essential in raising Mushrooms indoors is a controlled temperature. The ideal temperature is 65 deg. Fahr, but it should not vary more than 5 degrees to attain the greatest success. A pamphlet dealing at length with the growing of Mushrooms will be furnished with an order for Spawn, or for 5c in stamps or coin.

Pure Culture Spawn. Direct Bricks. Best brick spawn on the market, per brick 40c, 3 for

\$1.00, 10 bricks \$3.25. For larger quantities please write for price.


Lambert Pure Culture Spawn. In quart milk bottles. In this form the spawn is of the highest potency. Per quart, \$1.50, 2 quarts \$2.50, carton of a dozen quarts for \$12.00.

ONION—(Zwiebel)

To grow large onions from seed, it is necessary to have light, very rich soil, seed adapted to this climate and patience to keep the weeds out. Sow thinly, one-fourth inch deep in rows a suitable distance apart. Grown from setts, onions need quite as much care but more are used for bunching before they form bulbs and soil need not be so extremely rich; they get large very much sooner also but will not keep as long in storage. In the fall we have the hardy Egyptian Onion setts; in the spring the yellow and white bottom setts. Price on request.

One ounce of seeds for 100 feet. One pound of setts for 50 feet.

	Pkt.	Oz.	¼ lb.	Lb.
Large Red Wethersfield. Large, flat, late variety\$.10	\$.25	\$.75	\$2.25
Southport Red Globe. Medium, round	.10	.25	.60	2.00
White Silverskin. Somewhat flat, medium size, mild flavor and				
largely used for pickling	.10	.25	.75	2.25
Southport White Globe. Deeper through but much like the pre-				
ceding and much used for pickles	.10	.25	.75	2.25
PRIZETAKER. Nearly globe-shaped; yellowish brown skin;				
mild flavor. This sort may be sown early in hot-beds and				
transplanted when warm enough and by fall will make a				
very large onion, passing for Bermudas	.10	.25	.75	2.50
YELLOW GLOBE DANVERS. Grown in larger quantity than				
all others combined. Our standard yellow winter onion	.10	.20	.60	2.00
For onion seed in large quantities, write for special price.				



The young seed pods are cut up, and used for soups and stews. Sow thinly in rows in June and thin to two feet apart each way.

		Oz.		
Tall Green. Grows two to three feet high	\$.10	\$.15	\$.30	\$1.00
White Velvet. Dwarfer and pods light green. Best sort	10	.15	.30	1.00

PARSLEY—(Petersilie)

The chief difficulty with parsley is to get the seed up, which is because it takes five or six weeks to germinate. Sow the seed thinly, about one-fourth inch deep, early in April and cover with a thin board and you will have no trouble. Thin the plants to three inches apart. A few small plants in a pot will grow nicely in the house during the winter.

		Uz.		
Plain Leaved. Much used in soups, etc	. \$.10	\$.20	\$.40	\$1.00
Extra Double Curled. A choice variety, well curled	10	.20		1.25
Hamburg, Large Rooted. The roots are used in winter	1ð	.20	.50	1.25

PARSNIP—(Pastinak)

Being a plant that requires all season to mature, it is essential to sow early in May and get the seed up the first time. A beating rain may harden the ground and prevent the delicate sprouts from coming through, therefore sow a little early radish in the row along with the parsnip, which will break the crust for the latter. Sow a half inch deep and thin to two or three inches apart. Never try to raise parsnips on freshly manured land as they will grow forked roots of little use.

Use one ounce of fresh seed to 200 feet.

Pkt. Oz. ¼ 1b. Lb. GUERNSEY HALF LONG. The best sort to use in this region. \$.10 \$.15 \$.30 \$1.00

PEAS—(Erbsen)

If you have the room, few vegetables taste so good as home grown peas. They should be sown early, the earliest in March, an inch deep at first and as the ground warms up, deeper but not over three inches. Later sowings, say July, are apt to be disappointing, so it is better to sow early, medium and late sorts at the same time, the later sorts making larger pods and seeds. It pays to inoculate the seed with Legume Bacteria, same as beans. If the pods are not well filled, the soil lacks phosphorus, and if the vines do not grow well the soil should be limed before the next season.

A pound will sow 50 feet of row.

A pound will sow so rect of row.	Pkt.	√2 lb.	Lb.	5 lbs.
KENDEL'S FIRST OF ALL. For many years the best smooth,		/2		
extra early sort		\$.25	\$.40	\$1.60
Little Marvel. The earliest wrinkled sort. Should not be sown				
until the ground is warm	.15	.25	.40	1.60
NOTTS EXCELSIOR. In this locality this has, for many years				
been the best all round early, wrinkled variety both in qual-				
ity and yield. The ground must be warm to get a good	15	.25	.40	1.60
Gradus. In some localities this large podded sort is extensively	.13	.23	.40	1.00
used but in others does not fill well. Seeds very large, sweet				
and tender; an excellent sort where they will yield	.15	.25	.40	1.60
PIONEER. A very hardy wrinkled sort suitable for early plant-				
ing. Pods are large and well fil'ed resembling the Tele-				
phone. The peas are large and of splendid quality which				
they retain for a long period. Vines grow two feet; suit-				
able for successive plantings	.15	.25	.45	2.00
Blue Bantam. One of the newer sorts; heavy cropper and		25	45	2.00
good quality	.15	.25	.45	2.00
DWARF TELEPHONE. The best late dwarf sort. Large, well filled pods; seeds large, tender and sweet	.15	.25	.40	1.60
Tall Telephone. If brush can be had for them to run on, tall	.10	.210	.40	1.00
peas will greatly out-yield the dwarf sorts. This is the				
leading tall variety	.15	.25	.40	1.60
•				
PEPPER-(Pfeffer)				

Pepper seed needs a temperature of 80 deg. to sprout so if you need only a few, get the plants from us in latter part of May. Set two feet apa An ounce of seed makes 3000 plants. Set two feet apart.

	Pkt.	¼ oz.	Oz.	¼ lb.
Harris' Early Giant. A new, sweet variety growing 5 inches long and 3½ inches in diameter\$.10	\$.25	\$.60	\$2.00
Chinese Giant. A square, sweet pepper, large and mild. A rather late sort	.10	.25	.75	2.25
early. Grows in clusters		.20 .20	.50 .50	1.25 1.25
Long Red Cayenne. A slender, very hot pepper, used wholly for pickles. Makes the red pepper of commerce	.10	.20	.50	1.50
flesh Red Chili. Very small and very hot		.20 .30	.50 1.00	1.50 3.00

PUMPKIN—(Kuerbis)

A few pumpkins may be grown without much trouble, sufficient room being essential and good soil also.

One ounce makes 30 hills.	Pkt.	Oz.	¼ 1b.	Lb.
Connecticut Field. The common, large field pumpkin	\$.10	\$.15	\$.30	\$.90
Sweet or Sugar. The small, orange yellow pie pumpkin		.15	.30	1.00
Cushaw. A crooked neck sort		.15	.40	1.25
Mammoth Potiron. The largest; very thick, fine grained, sy	weet			
flesh; cream colored skin; flat at the ends	10	.25	.75	2.50

RADISH—(Rettig)

What is a garden without a row of Radishes? They are easily and quickly grown and so much better when freshly pulled. The important thing is to have the early radishes grow quickly, so they should not be sown too early outdoors. Tobacco Dust sown in the row with the seed prevents wormy

One ounce sows 100 feet.				
EARLIEST SCARLET GLOBE. The quickest maturing radish.\$.10	\$.15	\$.40	\$1.00
Early White Tipped Scarlet Turnip. Attractive appearance		.15	.40	1.00
French Breakfast. Oval in form; white tipped		.15	.40	1.00
WHITE GIANT STUTTGART. The best mid-summer sort	.10	.15	.40	100
White Icicle. The best long white sort	.10	.15	.40	1 00
Long Black Spanish. The leading long, winter sort	.10	.15	.40	1 00
Round Black Spanish. The leading round winter sort	.10	.15	.40	1 00
Scarlet China Winter. A half long sort, thicker at the bottom	.10	.15	.40	1.00

RHUBARB—(Rahbarber)

Rhubarb requires an abundance of rich soil and water to make a good crop. Use a liberal dose of Sheep Manure with a small amount of Nitrate of Soda dug in around the roots very early in the spring. A barrel with both ends out set over a plant will make longer stems and earlier. It takes four years for seed to produce a crop, but roots, which are ready in April, produce the second year.

Pkt. Oz. 14 1b. Lb.

\$.25 \$.75 \$2.50

SALSIFY—(Haferwurzel)

Commonly called Oyster Plant because it tastes so much like oysters. A winter vegetable but little appreciated by most people, but greatly liked by those who know it. Early Radish seed sown with salsify will assure a good stand as it is important to get it up well the first time so the roots will be large enough. Like parsnips, they may be left in the ground in winter and dug as wanted. If frozen when dug, will thaw out, without injury in icy cold water.

Use one ounce to 50 feet of row.

Oz. 1/4 lb. Lb. Mammoth Sandwich Island. For many years the only sort \$.25 \$.75 \$2.50

SORREL—(Sauerampfer)—See under Herbs

SPINACH—(Spinat)


The ordinary spinach may be sown almost any tentral that anything can, spring, summer or fall and is ready for use three or four months after sowing. Thin to three inches apart. The New Zealand Summer is planted early, two seeds in a group, the groups two feet apart. Being a runner, the ends are picked to be followed by more as the plant grows. A watering with Nitrate of Soda, increases the yield.

	Pkt.	Oz.	⅓ 1b.	Lb.
Viroflay. A large, thick leaved sort for both spring or fall sowing\$.10	\$.15	\$.20	\$ 50
Savoy Leaved, Re-selected. Intending either for very early or for fa'l sowing. Thick, dark leaves; good keeper	10	.15	.20	.50
PRINCESS JULIANA. Fine long season sort for second early		.15		.60
NEW ZEALAND SUMMER. Yields continuously, the tips only being used. Profitable in the smallest garden, three or four				
plants producing a peck each week	.10	.15	.30	1.00

SQUASH—(Speise Kuerbis)

The chief trouble encountered with squashes is caused by the bugs and borers. A dusting of Slug Shot after each rain will check the bugs but the borers in the stem, which attack the running sorts can be circumvented only by causing the vines to root at three or four of the joints by covering with soil, so that, when the borer gets into the main stem and would kill the vine, the roots at the joints would be sufficient to sustain it and no damage would result. This simple precaution has saved many acres of squash. Plant six or eight seeds in a hill, the early three or four and the late sorts twice as far apart, after middle of May and the ground is warm.

One ounce makes 40 hills of early and ten of late sorts.	Pkt.	Oz.	1/4 lb.	Lb.
EXTRA LARGE GOLDEN BUSH. For many years the leadin yellow scal'op variety. Large and fine	. \$.10	\$.20	\$.60	\$1.75
Giant Summer Crookneck. The most popular yellow sort of th		.20	.60	1.75



SOUASH (Continued)				
	Pkt.	Oz.	1/4 lb.	Lb.
Boston Marrow. An early winter sort, medium size; orange				
color skin	.10	.20	.50	1.50
HUBBARD. Planted more than any other for winter	.10	.20	.60	1.75
Chicago Warted Hubbard. Rougher and much larger than				
Hubbard	.10	.20	.60	1.75
Delicious. Top shaped; medium size; dark green skin; dry and				
sweet, for winter use	.10	.20	.60	1.75
English Vegetable Marrow. Yellow skin; white flesh; water-			• • • •	
melon shaped; for summer use. Vines running	10	.20	.60	1.75
Cocozelle or Italian Vegetable Marrow. The bushes produce	• • • •	0	100	****
large, dark green fruits, somewhat mottled and slightly				
curved. At their best when six or eight inches long	10	.20	.60	1.75
curved. At their best when six of eight filenes long	.10	.20	.00	1.73

TOMATO—(Liebesapfel)

More and more Tomatoes are being recommended for their food value, which remains even after cooking. A few should be in every garden and if grown and tied to plant stakes 30 inches apart may be kept tidy. Start the seeds early or get the plants from us later and set them deep, six inches or more if you can, but clip off all the lower leaves and half the rest when setting them. This and plenty of water at the time will prevent wilting. Should the vines still have green fruits on the approach of frost pull them up and hang them up by the roots in a cool part of the cellar and even the small ones will ripen. A little Nitrate of Potash two or three times during the early growing season is of great benefit.

An ounce will make 3000 plants.	kt.	1/2 OZ.	Oz.	1/4 1b.
Bonny Best. A very early, smooth, round, bright scarlet sort		/2		74
for both green-house or outside. Sow in December or Jan-	10	¢ 25	\$.40	\$1.25
uary for best results inside\$ EARLIANA. The earliest for outside. Smooth, red, round but	.10	\$.25	\$.40	\$1.25
	.10	.25	.40	1.25
	.10	.25	.40	1.25
Acme. An old sort, purple color, good yielder and suitable for	40	25	40	1.25
Dwarf Champion. Sturdy stalks, purplish-pink fruits, flattened	.10	.25	.40	1.25
	.10	.30	.50	1.50
LIVINGSTON BEAUTY. Best for table use. Mild, pink, turn-	•10	.00	****	1.00
ing purple, large, smooth and handsome	.10	.25	.40	1.25
	.10	.25	.40	1.25
	.10	.25	.50	1.50
LIVINGSTON'S GLOBE. Purplish-pink, main crop sort; fruit somewhat elongated at the blossom end	.10	.25	.40	1.25
Matchless. Large, smooth solid, main crop sort; color bright	•10	.20	.40	X.20
	.10	.25	.40	1.25
Ponderosa. Immense size; small seed cavities; very solid;				
	.10	.40	.75	2.00
8	.10	.50	.90	3.25 1.50
	.10 .10	.30 .35	.50 .40	1.25
Marglobe. A sort developed by the Dep't of Agriculture from	.10	•00	•40	1.25
Marvel and Livingston's Globe, but heavier and better				
	.10	.35	.50	1.50
Yellow Plum. Small yellow fruits used for garnishing and pre-			0.0	2.00
	.10	.60	.90	3.00
Red Cherry. Used for preserves	.10	.60	.90	3.00
TOBACCO— $(Tabak)$				
Connecticut Seed Leaf. This kind is more largely used in this				
locality than any other\$		\$.30	\$.50	
Havana. Higher flavor; used for wrappers	.10	.30	.50	

TURNIP—(Weise Ruebe)

For home use for winter, Turnips, sown after July first and until middle of August are much milder and palatable, though not so large than if sown early. Early sown may be used when half grown, but soon get strong and woody. Ruta Bagas should be sown early and transplanted six or eight inches apart in the row. One ounce sows 100 feet of row.

apart in the row. One dunce sows 100 feet of row.	Pkt.	Oz.	¼ lb.	Lb.
Early Snowball. Nearly round; pure white; best early	.10	\$.15	\$.25	\$.75
White Egg. All white, oval sort for both early and late	.10	.15	.25	.75
RED or PURPLE TOP WHITE GLOBE. The leading main				
crop sort for late; does best on light soil	.10	.15	.25	.75
RED TOP STRAP LEAF or FLAT. Best late sort for heavy				
soil	.10	.15	.25	.75
Orange Jelly or Golden Ball. A yellow flesh turnip, for late				
sowing	.10	.15	.25	.7 5
IMPROVED PURPLE TOP RUTA BAGA. The best and prac-			25	
tically the only one of this type sown here	.10	.15	.25	.75

Culture and Care of Flowers

N OUR List of Flower Seeds will be found all those varieties known to be desirable and worthy the attention of florists and amateurs. Our Catalogue is arranged with a view to aid our patrons in their selection by offering the very best varieties of each species, and to avoid the confusion attending the selection from catalogues in which the greatest possible number of varieties are presented, regardless of their value, many of which only disappoint the cultivator by taking time and garden space which might otherwise be used in growing better flowers.

Success. With patience and the exercise of reasonable judgment, anyone may soon acquire experience enough to successfully grow most of the species of flowers: failure more often REQUIRED in any event.

Requisites. A few suggestions may prove of value to those who are unfamiliar with floriculture; the selection of the seeds, the preparation of the flower-beds or borders, the choice of location best suited to each species, the use of fertilizers, the time and manner of sowing seeds or of setting plants, the destruction of noxious weeds and injurious insects, and many other details incident to the cultivation of a flower garden—each of which requires care and more or less skill.

Reliable Seed. is the first requisite. We spare no pains or expense to procure the VERY BEST. A thorough trial of our seeds will do more to establish this fact in the minds of our patrons than any statement made by us would be likely to do.

Causes of Failure. The seeds of some of the species are very small and delicate, and from many causes are liable to fail, particularly when sown in the open ground. If SOWN TOO EARLY, the earth lacks the warmth necessary to insure germination; IF COVERED TOO DEEPLY, the delicate sprouts cannot force their way through: IF HEAVY RAINS ENSUE, the seeds may be entirely washed away or the soil beaten down and crusted over, or perhaps left in such a wet condition as to cause the seed to decay. Again, the sowing may be followed by EXTREME HEAT AND DROUGHT, and if the seeds have started to germinate the germs are liable to become dry again, in which case they are utterly ruined.

When and How to Sow.

The first of May is early enough, in this latitude, to sow most of the species in the open ground; too early sowing is a great mistake. The small and delicate seeds must be covered VERY LIGHTLY with earth; the finest of them had better be sown WITHOUT ANY COVERING, the simple pressure of a smooth board dition, the covering of such seeds with various kinds of delicate seeds, induces us to advise in addition, the covering of such seeds with sheets of newspaper until they are through the ground, thereby preventing the surface evaporation, which so often causes failure, besides protecting the seeds from being forced into the ground so deeply through careless watering, that they could not sprout. A light covering of fine Peat Moss will greatly increase the stand without harming the most delicate sprouts. Very delicate seeds, such as Salpiglossis and Giant Petunias are easily sprouted by filling the hollow side of a common brick with finely sifted soil on which the seed should be thinly sprinkled and the brick kept in a pan of water until the plants are large enough to transplant. By following one of these methods, many seeds that are rather difficult to start may be quite successfully grown. The larger and more hardy seeds may be planted deeper and some of them earlier. It is a safe rule to sow most seeds to a depth of FOUR OR FIVE TIMES THE DIAMETER of the seed itself.

Location.

A rather light sandy loam suits most flowers, and, in such soils, seeds generally germinate well. Some flowers thrive best in a rather shady situation and in rather heavy the full rays of the sun; this is particularly true of the Portulaca.

Early Sowing.

The seeds of nearly all the annual varieties, and many of the biennials and perennials may be sown in March or April, under glass frames, in greenhouses, or in small boxes in any sunny window. In this way a good stock of plants may be had at small expense, and a gain of several weeks made in the season of blooming; less weeding of the flower-beds will be necessary, and, when the plants are set out of doors further transplanting is not required. Shallow boxes, two or three inches deep, and with open seams at the bottom are the best in which to start the seeds. Fill these boxes to within half an inch of the top with good rich soil, mixed with about one-fourth sand; or, if convenient, procure some fine leaf mould from the woods. Make the surface level and smooth, and upon this scatter the seed sparingly. Use a fine sieve, with which sift carefully over the seeds just enough earth to cover them. Afterwards gently shower them with tepid water, using a fine sprinkler, and keep the boxes in a temperature as near 60° as possible. Avoid much watering unless the surface of the soil appears dry. Transplant into other boxes when the plants are large enough to handle, setting them from half an inch to an inch apart. Sometimes the young seedlings are attacked by a minute fungus, which causes them to "damp off." Lack of sufficient ventilation aggravates the trouble. By first treating the seed with a light dusting of Semesan, described more fully in the back of this catalogue, the danger from this source may be practically eliminated. However, if it does appear, no time is to be lost in transplanting the unaffected plants into other boxes. In setting plants out into the beds or borders, allow a liberal space for each; crowding too many into a small area is a mistake very often made.

Late Sowing. Most of the biennials and perennials may be sown late in the summer, from the middle of August through September, and they will then bloom the following season. When cold weather sets in, about the only protection necessary for the young plants is a covering of leaves, straw or litter to a depth of three or four inches, and a board on top to keep it in place. They should be uncovered soon after the middle of March.

Fertilizing. No matter what the soil is, heavy or light, the three major fertilizing elements are Nitrogen. Phosphorus and Potash re-enforced by plenty of humus or rotted vegetable matter, which is most easily obtainable from the compost heap or from sheep manure. Bone Meal ranks high as a source of Nitrogen and more particularly of Phosphorus and there are many brands of fertilizers that combine all three elements in varying amounts and in the total. The greater the total, the more sparingly should it be applied to avoid burning. The seed beds, in which plants are started, to be transplanted later, should be no richer than the garden and better results will follow if somewhat poorer. Put the fertilizer in the garden before or at the time of transplanting and if plants are not growing properly later on, water the ground around them with Nitrate of Soda or Nitrate of Potash two or three times, a teaspoonful of either in a gallon of water.

Biennials, Perennials.

Thowers are classified as Annuals, Biennials and Perennials. Annuals are those plants that bloom the first year from seed, and, after ripening their seeds, perish the same season. They comprise many of the most beautiful flowers, and, as a rule, are of easy culture. Some of the Biennials and Perennials will flower the first season if the seed they may then be kept over for another year or longer. Pansy, Snapdragon, Pinks, etc., belong to this class. Biennials bloom the second year from planting the seed, and then die. Perennials, as a rule, bloom the second year, and are more or less permanent thereafter. The seeds of some of the Perennials remain a long time in the soil before germinating. Several species of the Biennials and Perennials will succeed well if the seeds are sown in early autumn.



VINES

For Walls, Trellises, Porches and Pergolas

Balloon Vine Balsam Pear Beans, various Canary Bird Vine Cardinal Climber

Cobaea Cypress Vine Dolichos Gourds Japanese Hop

Hyacinth Beans Kudzu Vine Moonflower Morning Glory Nasturtinin, tall Passion Flower Sweet Peas, annual Sweet Peas, hardy Thunbergia

TRAILING PLANTS

For Window Boxes, Hanging Baskets and Vases

Lobelia Forget-ine-not Ice Plant Mimulus Linaria

Nasturtium, tall Petunia

Portulaca

LOW GROWING PLANTS FOR BORDERS AND EDGINGS

Ageratum Alyssum, white Alyssum, hardy Begonia Bellis Campanula Carpatica Candytnft Carnation

Coleus Daisy Dianthus Eschscholtzia Feverfew Forget-me-not Four O'Clocks Godetia

Gomphrena Henchera Kochia Lobelia Marigold, dwarf Nasturtium, dwarf Pansies Petunia

Phlox Poppies Polyanthus Salvia Torenia Verbenas Viola Cornuta Zinnias, dwarf

PLANTS FOR THE SHADE

Aconitum Aquilegia Coreopsis Lanceolata Daisies Forget-me-not Four O'Clocks Gaillardia Grdfl. Kudzu Vine Mimulus

Nemophila Pausies Petunia

PLANTS FOR GREENHOUSE AND CONSERVATORY

Begonia Calceolaria Carnation, Chabaud Cineraria

Coleus Cyclamen Gloxinia Heliotrope

Passion Vine Primulas Schizanthus Sweet Peas

Torenia Verbena, Lemon Viola Odorata

PLANTS WITH ORNAMENTAL FOLIAGE

Amaranthus Canna Centaurea

Coleus Begonia Eschscholtzia Euphorbia Ice Plant Kochia

Linaria Ricinus

EVERLASTING FLOWERS

Acroclinium

Ammobium

Cleonie

Chrysanthemum

Elichrysum

Gomphrena

THE MOST USEFUL FLOWERS FOR BOUQUETS

Achillea Aconitum Acroclinium Ageratum Ammobium Anchusa Antirrhinum Aquilegia Arctotis Asters Balsam Calendula Campanula Candytuft Carnation

Coreonsis Cosmos Dahlia Daisy, Shasta Dianthus Dimorpotheca Elichrysum Feverfew Gaillardia Gomphrena Gypsophila Heliotrope

Heuchera Larkspur Lupin Marigold Mignonette Nasturtium Nigella ensv Penastemon Petunia Phlox Poppy Pyrethrum Rudbeckia

Salpiglossis Salvia Scabiosa Schizanthus Stocks Sunflower Sweet Peas Sweet Sultans Sweet William Valeriana Verbena Vinca Wallflower

Zinnia

HARDY PERENNIALS

Achillea Aconitum Alyssum Saxatile Anchusa Aquilegia Baptisa Bocconia Campanula Candytuft, hardy Carnation

Chrysanthemum Coreopsis Daisy Dictamnus Forget-me-not Foxglove Gaillardia Geum Gypsophila Henchera

Hollyhocks Kudzu Vine Larkspur Lupin Monarda Oenothera Pentstemon Phlox Physalis Physostegia

Polyanthus Poppy Pyrethrum Rudbeckia Sweet Peas Sweet William Valeriana Veronica Viola Cornuta

General List of Flower Seeds

Our wide acquaintance with the trade, both in this country and abroad, places us in constant touch with the leading experts and specialists in seed growing from whom we buy direct. This not only reduces chances for error but fixes responsibility, assuring us of the choicest seeds and the latest introductions. We strive to make our list as complete as possible but of only such kinds as we know are suitable for this locality. Our friends may therefore feel sure of success with their selections under reasonable weather conditions.

In ordering, the numbers are sufficient.

ACHILLEA. (Milfoil or Yarrow.)

ACONITUM. (Eisenhut.) (Monk's Hood.) Hardy perennials with panicles of blue helmet-shaped flowers in the fall.

PKT.

2 Napellus. Well adapted for growing among the shrubbery and shady corners; 4 ft.....

Beautifu					
Easily gre					
bouquets.	Annuals	. Bright	Pink	and Wl	nite. 1 ft.
NO.					PKT.
3 Single					
4 Double	e Mixed				10
		e seal	a structure		

A GEN O GE VALTETA



6 in.
Little Blue Star. An attractive mauve blue. 4 to 5 in. .10

Plants ready in May.

AGROSTEMMA. (Rose of Heaven-Mullien Pink.)
Pretty, easily grown, hardy perennial, blooming the first year, if sown early. Silvery white leaves; flower stalks 2 ft.
9 Coronaria atrosanguinea. Glowing crim-

Coronaria Mixed. Including white.....

AMARANTHUS. (Amarant.)

Highly ornamental foliage plants, producing a striking effect in the flower garden. Sow the seeds early, and set out last of May, or in June, in rich soil. Annual.

13 Tricolor (Joseph's Coat). Red, yellow and green foliage, very attractive; 2 ft....10

ANCHUSA. (Alkanet.)
Italica, Dropmore Variety. One of the best hardy perennials. Is becoming more popular each season, bearing flowers of the richest gentian-blue. Blooms freely all summer. 5 ft.

ANTIRRHINUM. (Snapdragon.)

ANTIRRHINUM. (Snapdragon.)
(Loewenmaul.)
Within the last few years Snapdragons have become immensely popular. This is not to be wondered at, as, whether used for cutting or for show in the garden, they are one of the most valuable flowers which can readily be grown from seed. Sown out of doors the first week of May, the plants bloom early in July, remaining in full flower until November. For earlier



ANTIRRHINUM (Snapdragon)

flowering, start indoors or in a frame in March, transplanting to the open when the weather is suitable.

If troubled with rust, dust the plants with pow-

dered sulphur.

TALL MAXIMUM

The following list comprises the principal colors of the newest creation in Giant Snapdragons being a marked advance in size and brilliancy of color as well as compactness of flowers on the stem.

	Plants ready end of May	
NO	. Р	KT.
15	Apple Blossom. Rosy pink, yellow lip	.10
16	Brilliant Chamois. Rosy mauve	.10
17	Canary Bird. Canary yellow, golden cen-	.10
11		10
	ter	.10
18	Cerebus. Carmine rose, yellow lip	.10
19	Copper King. Velvety copper scarlet	.10
20	Diamond. Golden yellow, lilac throat	.10
21	Fire Flame. Dark purple and yellow	.10
22	Golden Queen. Deep yellow	.10
23	Indian Summer. Velvety copper	.10
24	Purple King. Glowing deep purple	.10
25	Ruby. Rich velvety ruby red	.10
26	Snowflake. Pure white, yellow tube	.10
27	The Rose. Rose pink	.10
28	Wallflower. Brownish orange, copper red	.10
	vitalian crange, copper rea	
29	LAKEWOOD PRIZE MIXTURE. To all	
	the above, we add some of the spotted	
	and variegated sorts making a wonderful	
	show. ½ oz. 50c	.10
	8HOW. 7/8 OZ. 30C	.10
	AQUILEGIA. (Columbine.) (Akelev.)	


AQUILEGIA. (Columbine.)

Plants ready early in May.

No hardy plant grown from seed is more easily handled than the Columbine. Seed may be planted in the open ground early in spring, and will bloom the same season; or they may be planted in August or September, and will come up early in spring to make vigorous plants, which will bloom abundantly during late spring and early

Columbines should be planted wherever their presence will serve to lighten up a too stiff and formal planting, for no other plant is more generous of its blooms, or is more effectively adapted for any flowers.

for	cut flowers. 1½ ft.	
30	Caerulea (Rocky Mountain Columbine).	
	Violet-blue and white mixed	.10
31	Californica Long Spurred Hybrids.	
	Brightest colors	.10
32	Chrysantha. Golden yellow	.10
33	Mrs. Scott Elliott's Strain The finest	
	development of the long spurred type and	
	a great variety of colors. The seed is	
	imported by us from England and does	
	exceedingly well here	.25
34	Glandulosa Major. This type is without	
	spurs and produces very large single	
	flowers, black-violet with white corolla.	
	A rare flower in our gardens	.25
35	Hybrid Double Mixed. Choice colors	.10
	ARCTOTIS GRANDIS. (African Daisy.)	
36	A splendid annual with large daisy-like	
-	flowers of a pure white, the reverse of	
	the petals being a pale lilac. Easily	
	grown in the sun. Valuable for cutting	
	from July until frost	.10
	Troin our and troots see see see see	-10



ASTERS

(Schoenkranz, Aster.)

(Schoenkranz, Aster.)

This flower is not only one of the most popular, but also one of the most effective of our garden favorites, producing flowers of great richness and variety of color, in the most perfect and beautiful form during the late summer and early fall. They bear a striking resemblance to Chrysanthemums and are fully as useful for cut flowers.

If Asters are grown in the same spot a few times, they are apt to be attacked by a disease that turns them yellow before they flower. They should be grown in a different bed each year and if the seed is treated first with Semesan, this trouble will be reduced. Sometimes ants carry Aphides to the roots and cause the plants to turn yellow and die. More large flowers will be produced if the center bud on the main stalk is pinched out as soon as noticed.

The recent development of Asters in California has placed them in a class with the finest and most satisfactory flowers we can have in our gardens.

7 Lakewood Prize Mixture. Our customers often find that the various types of Asters are so beautiful that it is difficult to choose between them. By mixing the tall growing varieties of every color in all the types we list below such as Beauty, Improved Giants, Branching, Royal, Ostrich Feather, etc., we have a mixture that will enable everyone to have a few plants of all the choicest kinds in a complete assortment of color. We cannot recommend it too highly. Trade pkt.

kinds in a complete 30c; ½ oz. 50c; pkt... Lilac Azure Fairy. Dark lavender......
Purple White Beauty, Giant White $\frac{50}{52}$ 49 Peach Blossom10 Rose Pink
Finest Mixed. Trade pkt. 25c..... September Beauty. Flesh pink

.10 Vick's Branching. From the time of its introduction this aster has been popular with both florists and amateurs on account of robust growth, long strong stems and abundance of flowers which are very

ao	ible and compact form. Late blooming.				
56	Pure White	.10	57	Azure Blue	.10
58	Crimson	.10	59	Light Lavender	.10
60	Rose Pink	.10	61	Purple	.10
62	Shell Pink (Mary Semple)	.10	63	Finest Mixed. Trade pkt. 25c, 1/4 oz. 50c	.10
				and the state of t	

Early Royal. This is an early, dwarf, branching aster, growing two feet high, with strong stems 12 to 15 inches long bearing medium sized flowers not compact and still not of the ragged type. Has proven very satisfactory here. Trade pkt. 25c, ¼ oz. 60c.. ther, Mixed. Finest of the

64	Pure	White	.10		Finest Mixed.
66	Deep	Rose	.10	70	Ostrich Feath
68	Shell	Pink	.10		ragged type .
65	Dark	Lavender	.10	71	Heart of Fran
67	Deep	Purple	.10	72	New Fancy Ye

nce. Rich dark red.....ellow. Best yellow to date... .10 BOCCONIA. (Plume Poppy.)
Hardy perenuial with silvery foliage and long loose spikes of flowers.

Auricula. See Primula. Baby's Breath. See Gypsophila. Bachelor's Button. See Centaurea. NO. PKT. BALLOON VINE. (Herzamen.) (Cardiospermum Halicacabum.)

A very pretty climber, interesting for its inflated membraneous capsule, from which it derives the name. Annual; 8 ft...... 73

BALSAM, (Balsaminen.) (Lady Slipper.) One of the most beautiful and popular annuals, forming a cone of clear-colored and finely variegated, double, camelia-like flowers. Succeed in a

rich soil. Annuals; 2 ft.
74 Splendid Mixture of Choicest Varieties.
1/4 oz. 25c.... 14 oz. 25c. Camelia-Flowered. Finest mixed, 14 oz. 25c

BALSAM PEAR. (Balsambierne.)

Curious climbers with ornamental foliage. The fruit is bright orange, and, when ripe, bursts open, exposing its bright-red seeds and yellow interior. Very effective on rock-work, stumps, etc. Annual; 10ft. Momordica Charantia

These plants rank with the Geraniums and Coleus as bedding plants, surpassing both for the sun and shade. Everblooming.

Bulbs

Bellis Perennis. See Double Giant Daisy.



Elata Mixed. Blue and white; 18 in....



Plants of a highly decorative character; very desirable for house or conservatory culture; remarkable for their size, color and markings. Sow the seeds in August or September for early flowering, in a light, rich compost. Tender perennial.

L'S

Hybrida Grandiflora. Self-colored and spotted varieties mixed; prize flowers. Trade pkt. \$1.00....

CALENDULA. (Pot Marigold.) (Ringelblume.)
One of the best and showiest free-flowering hardy annuals, growing in any good garden soil, producing a fine effect in beds or mixed borders, particularly bright in late fall, continuing in bloom from early summer until killed by frost. Valuable also for pot culture; blooming freely in

	nter and early spring; 1 ft.	
83	Ball's Orange. Double large-flowered	.10
84	Ball's Dark Golden Yellow. Large flow-	
0 =	ered	.10
85	Prince of Orange. Double yellow, each petal striped orange	.10
86		.10
00	lemon	.10
87	Superb Mixed. 1/4 oz. 15c	.10



CAMPANULA. (Bellflowers.)

Beautiful, well-known flowers, characterized by their richness of color, and profusion of bloom. Of a great variety of form, some being tall and imposing, while others are dwarf and compact. Indispensable for the border, edging, rockwork, etc. The taller growing sorts should be staked to prevent injury from high winds. They like good, rich soil, and last much longer if set in half shade.

CANTERBURY BELL. (Glockenblume.)

Canterbury Bells. The old-fashioned sort with large, beautiful bell-shaped blooms. Single. Biennials; 2½ ft.

88	Purple	.10	89	Lilae	.10
	Rose				
	Mixed, All Colo	, .			

Cup and Saucer. Very handsome and much prized. The extra large calyx is of the same color as the flower and appears as a saucer under a cup. Biennials. $2\frac{1}{2}$ ft.

				.10
*******	 •=•	•	50c	.10

Plants ready in May.

Carpatica. (Harebell.) A hardy and pretty perennial growing only 9 in. high. Unsurpassed for an edging to a hardy border or rockery. Blooms from June to fall. Mixed blue and white......

Grandiflora. (Chinese Bellflower.) A fine, hardy perennial with buds that expand to look like miniature balloons, opening to a five-pointed starlike flower. Blooms for about eight weeks from the middle of July. One of our best hardy perennials 2 ft

98	Blue		.10	99	White		.1
----	------	--	-----	----	-------	--	----

NO.	KT.
100 Mariesii. A rare dwarf form, 6 inches	ıxı.
100 Mariesii. A rare dwarf form, 6 inches high; beautiful dark blue large flowers and suitable for rock gardens	.20
101 Persicifolia. (Peach Bells.) A handsome perennial with large, drooping bell-	
shaped flowers. Mixed blue and white.	.10
0 10,	
CANARY-BIRD VINE. (Tropaeolum Canarien 102 A beautiful rapid annual climber, the	se.,
charming little canary-colored blossoms bearing a fancied resemblance to a bird with its wings half expanded. ¼ oz. 40c	
with its wings half expanded. ¼ oz. 40c	.10
CANDYTUFT. (Iberis.) (Schleifenblume.)) own
and cultivated, and considered indispensable	for
masses. Seed sown in autumn produce flow	vers
The annual Candytufts are universally kn and cultivated, and considered indispensable cutting. All the varieties look best in beds masses. Seed sown in autumn produce flow early in spring; when sown in April, flowers June; successive sowings should be made at tervals. Hardy and easy to grow. Single ple transplanted look well and bloom profusely.	in-
tervals. Hardy and easy to grow. Single pla	ints I ft.
Eight, Hen Soil.	
103 Improved Empress. Giant white. ¼ oz. 25e	.10
104 Little Prince. Dwarf white. ¼ oz. 25c 105 Flesh Pink 10 105½ Crimson	.10 .10
25c	.10
75c	.10
75c 108 Gibraltarica. Lilac; perennial 1082 Sempervirens. White perennial	.15 .15
Canterbury Bell See Campanula.	
Castor Oil Bean. See Ricinus.	
CARDINAL CLIMBER. 109 A most beautiful and brilliant annual	
climber. A strong and rapid grower, attaining a height of 30 ft. in a season.	
Blooms from mid-summer until frost. It	
109 A most beautiful and brilliant annual climber. A strong and rapid grower, attaining a height of 30 ft. in a season. Blooms from mid-summer until frost. It delights in a warm, sunny situation with good soil. Germination may be made more certain by filing a small notch in each seed before planting. Start the seed indoors in March and transplant or saw	
each seed before planting. Start the seed	
indoors in March and transplant, or sow in the open ground when the soil is	
warm in May. Very popular	.10
CARNATION PINK. (Nelke.) The most magnificent of all the Dianthus fily. Flowers large, beautiful and delightf fragrant. Sown in the spring, they bloom second season. The plants are hardy the winter; afterward they need protection. Penials	am-
ily. Flowers large, beautiful and delightf	ully
second season. The plants are hardy the swinters afterward they need protection.	first
nials.	CII-
110 Marguerite. Dwarf mixed. If sown early will flower the first season: emi-	
nently satisfactory in the garden both	
1/8 oz. 50c.	.10
111 Early Dwarf Double Carnation. Mixed 112 Red Grenadin. Double scarlet; 2 ft	.10 .15
113 Fancy Picotee Carnation. Prize stock; from stage-flowers; finest double mix-	
ture of Picotees, Carnations, Bizarres, Flakes, Fancies and Selfs: 2 ft	.25
nials. 110 Marguerite. Dwarf mixed. If sown early will flower the first season; eminently satisfactory in the garden both in quantity and color of the flowers. ½ oz. 50c	
is raised by a famous specialist in	
and continues indefinitely. 2 ft. Extra	
	.25
CELOSIA. (Cockscomb.) Free blooming annuals of graceful habit	and
Free blooming annuals of graceful habit worthy of space in every garden. Very populecause of their ease of culture and large sho	ılar
combs or feathery spikes. Should be sown eg	rly
combs or feathery spikes. Should be sown erand transplanted in June in light, rich s Plants may be lifted in the fall and potted house decoration, where they remain in bloggraphics.	for
for a long period.	юш
for a long period. 115 Japan Crimson. Huge combs, much cut and beruffled; 3 ft	.10
116 Golden Yellow. Crested	.10 .10
118 Glasgow Prize. Extra fine. Dark leaves	.10
yellow. Very fine. Large combs; 1 ft 120 Ostrich Plume Mixed. (Thompson's Mag-	.10
nifica.) Beautiful plumes of all colors from clear yellow to the darkest red;	
2 ft	.10

121 Childsi. (Chinese Wool Flower.) Crim-

.15





Bachelor's Buttons.

CENTAUREA. (Flockenblume.)

These include such popular annuals as Bachelor's Buttons and Sweet Sultans which are favorites everywhere, they being easy to grow, profuse bloomers from mid-summer to late fall, and requiring but little care. Silver-leaved sorts are also included which are used as borders to beds and for porch-boxes. Annuals.

NO.	P	KT.
122	Cyanus. (Cornflower.) .Beautiful gen-	
	tian-blue	.10
123	Cyanus Single Mixed. ¼ oz. 25c	.10
124	Cyanus Double Mixed. ¼ oz. 35c	.10
125	King of Blue Bottles. Large blue, red	
	center. Dwarf and compact. Very strik-	
	ing. ¼ oz. 50c	.15
126	Montana. (Hardy Cornflower.) Blue	.10
	Dusty Millers.	
127	Candidissima. Silvery white foliage:	
	broad and deeply cut. Half-hardy: 1 ft.	
	½ oz. 75c	.15
128	Gymnocarpa, Finely cut and graceful	
	silvery foliage. ¼ oz. 50c	.15
	See also Sweet Sultans.	
	Chinese or Indian Pink. See Dianthus.	



Painted Daisy

CHRYSANTHEMUM. (Wucherblume Goldblume.)

Showy and effective garden favorites. Snowy and electrice garden lavorities. The annual varieties are in great demand, and extensively grown for cut flowers, making a fine pot plant for winter, and excellent for beds or borders through the summer. Succeed best in loam and rotted manure, equal parts.

Seeds may be sown in hotbeds during March or outdoors during May. Pinching back in early growth makes bushy and shapely plants. Aver-age height 114 ft.

	11/2 10.	
129	Chinese Large Flowered Double Mixed.	
	Well-known variety for not and green-	
100	house culture; half-hardy perennial	.25
130	Japonicum Double Mixed. Magnificent	
	perennials; white and vellow	2.5

NO.					KT.
				Annual	.10
				Painted	
	sies.)	Annua	 		 .10

Plants of hardy garden varieties ready in May and June.

CLEOME PUNGENS.
Singular showy plants, attractive for a background to other flowers; growing 3 ft, high and usually called: Giant Spider Plant. Pink



CLARKIA.

COBAEA. (Cobace.) (Cathedral Bells.) Seandens. A magnificent rapid-growing vine, with beautiful foliage, and large white or purple, bell-shaped flowers; seed should be planted edgewise, and covered lightly; best sown indoors in March. 1/4 oz. 50c.....

Plants ready in May.

Cock's Comb. See Celosia.

COLEUS.

A great variety of brilliant colors can be had in plants grown from our seed. Extensively used for bedding, they making a fine show in any sun-ny spot. Best when sown indoors in March or April.

Finest Mixed. A very choice mixture. Trade pkt. \$1.00.

Plants ready in June.

Columbine. See Aquilegia. Convolvulus Major. See Morning Glory.

COREOPSIS. (Calliopsis.) (Gottesaugen.)

Showy and beautiful free-flowering plants of the easiest culture, doing well in any sunny position, blooming all summer and excellent for cutting and massing. It is best to sow them where they are to bloom, thinning out to stand 6 inches to 12 inches apart. By keeping the old flowers cut off the flowering season can be lengthened until late autumn.

Fine Mixed Tall. All colors. 1/4 oz. 25c. Annual
Coronata. (Crown of Gold.) Large golden yellow. Very fine for cutting. 1 ft. Annual Annual Drummondi. (Golden Wave.) Rich yellow with a circle of crimson-brown about the center. 1½ ft. Annual. Purpurea. Elegant dark-brown. 1½ ft. Annual Tinctoria. Golden-yellow and brown. 1½ ft. Annual. 147 .10

Plants ready end of April.

COSMOS.

COSMOS.

Beautiful autumn-blooming plants. They produce thousands of beautiful flowers in pure white, pink and crimson shades, furnishing an abundance of cut flowers for autumn decorations when other flowers are scarce. Should be sown in spring in the open ground, when danger of frost is past, or the seed may be started under cover and afterwards transplanted. Plant not less than 18 inches apart in rows or in masses in beds. When the plants are about a foot high the tops should be pinched out to induce a bushy growth. They prefer a rather light, not too rich soil, but do well almost anywhere.

Early Flowering Mixed. Will bloom end of July if started early indoors. 1/4 oz. 30c .10 .10 153 .10 155 156 .10 the late sorts....

> 1/2 cz. 40c; ounce \$1.25. Plants ready in June.



CYCLAMEN. (Erdscheibe, Alpenveilchen.)

One of the most popular plants for winter and spring blooming. The foliage is beautifully marked, and the flowers are extremely handsome. Sow the seed in a compost of well-rotted manure, leaf-mold and coarse sand, thoroughly mixed, and they will make flowering bulbs in one year,

Summer Cypress. See Kochia.



DAHLIA. (Dahlie.)

.10

.15

Paeony Flowered. Immense, semi-double flowers
Extra Fine Double Mixed. Saved from very choicest varieties.
Single Mixed. From finest varieties.
Single Dahlias will flower the first season from seed.

Dahlia roots ready in April.

DOUBLE GIANT DAISY. (Bellis Perennis.) (Tausendschoen.)

These English daisies are well-known perennials admirably adapted for borders, beds or for pot-culture. They grow best in a shady and rather cool situation, in loamy soil richly managed.

Cl. Etna. Quilled dark red.

Monterosa. Quilled pink.

Giant Pure White.

Giant Mixed. A vast improvement over the common strains of English Daisies, the flowers often being as large as a silver dollar. Trade pkt. \$1.00. 166

Plants, one dozen in a basket, ready in May. Maximum.)

SHASTA DAISY. (Chrysanthemum Maximi 169 A splendid hardy perennial of Mr. Burbank's introduction with flowers of the largest size. In form like the common field daisy yet vastly superior. Pure white, long strong stems and very free blooming. Excellent as a cut-flower. Trade pkt. 50c.


Clumps ready in April.



DIMORPHOTHECA. (African Golden Dalsy.) NO. 1º KT.	DOLICHOS. (Hyacinth Bean.) A beautiful quick-growing climber, with pur-
170 Aurantiaca Hybrida. Beautiful new hybrids, varying in color from the pur-	ple and white flowers blooming in clusters re- sembling the blossoms of hyacinths. Will thrive
est white through the various shades of yellow and orange to rich salmon shades, many being zoned with several of these	in a hot situation; annual; 15 ft. NO. PKT.
colors around the black disc	187 Soudan. Purple. ¼ oz. 15c, oz. 40c
DELPHINIUM. (Larkspur.)	Dusty Miller. See Centaurea. ERYSIMUM. (Fairy Waliflower.)
In variety and beauty of its blue tints, which are as numerous as they are charming, no other plant can equal the Delphinium. The brilliant	An annual bearing heads of flowers somewhat like Candytuft continuously until frost.
flowers are strongly effective in beds or masses.	189 Perofskianum. Orange yellow
in borders, shrubberies, or in combination with white lilies. Some of the species flower both early and late; the season for all can be prolonged by cutting away withered flower-steins.	Attractive annuals with light green feathery foliage, growing a foot high and bearing poppy-shaped, flowers until frost.
longed by cutting away withered flower-stems. All varieties are easily cultivated and adaptable	190 Aurantiaca. Rich orange yenow. 4 oz.
All varieties are easily cultivated and adaptable to many conditions, but in a soil deeply dug and well enriched with fine old manure, their blooms are the finest. Setting them 1½ to 2 feet each way is not too number of the tallor sorts.	25c
way is not too much for the taller sorts. Perennial Varieties.	center
For annual sorts, see Larkspur.	
171 Belladonna. (Everblooming Hardy Lark- spur.) This is the freest and most con-	EUPHORBIA. (Snow on the Mountain.) (Wolfsmilch.) A showy horder plant foliage veined and marg-
tinuous blooming Hardy Larkspur. The clear turquoise-blue of its flowers is not	A showy border plant, folinge veined and marg- ined with white. Grows well in common garden loam.
equalled for delicacy and beauty. A really exquisite Larkspur. 1 ft	193 Variegata. Very ornamental. Annual; 1½ ft. ¼ oz. 30c
172 Bellamosa. Like the preceding but dark blue	
blue	
and producing freely spikes of large blossoms. Mixed blue and white. 1/4 oz.	
174 Elatum. (Bee Larkspur.) Rich blue of	
various shades with black centres; grows 3 to 5 ft. high	
flowers, with a white centre; 3 ft. ½ oz.	
176 Hollyhock Strain. Mixture of light shades; double flowers; long spikes;	
sturdy stalks; new	
vigorous plants with fine long spikes and flowers in many shades of blue. Trade pkt. 60c	
178 English Prize Mixture. Mammoth flowering in the richest shades of blue20	
Plants ready in May.	
DIANTHUS. (Chinese Pink.) (Nelke.) The following all bloom the first year, and are highly valued for the beauty of their flowers, which present a rich variety of colors. The different varieties are hardy, and usually live over winter, blooming more profusely the second year especially if sown in August when they start blooming the following May. 1 ft.	
which present a rich variety of colors. The dif- ferent varieties are hardy, and usually live over	
winter, blooming more profusely the second year especially if sown in August when they start	HETTAIN, S. C. TENI
179 Alwoodii. A new strain of pinks in	FORGET-ME-NOT. (Myosotis.) (Vergiss-mein-nicht.)
mixed colors, mostly double; hardy25 180 Double Brilliant Red. An elegant shade	Few spring flowers are more admired than the lovely Forget-Me-Nots, which are especially effective when grown in masses. Are hardy if
for adding a splash of color to the garden. Very fine	given slight protection through the winter. Seed may be sown any time from spring till mid-sum-
181 Chinese Double Extra Fine. A splendid mixture suitable for beds and borders. Very brightest colors. Trade pkt.	mer. Dissitiflora comes into bloom in April, and is largely used for bedding or borders in con-
25c	nection with spring-flowering bulbs, Pansies, etc. The Palustris sorts do not bloom till May, but
most delicate shade of pink	continue till fall. Succeed best in moist situations.
183 Plumarius Double. (Double Hardy Gar- den Pinks.) The finest shades for sum- mer-blooming borders. Does well in sun	194 Palustris. Large-flowering. (True Forget-me-not.) Beautiful blue; Perennial, but blooms first year. ½ ft. ½ oz 50c10
of shade	195 Palustris Semperflorens. A dwarf form blooming all summer
Plants in May. DICTAMNUS. (Gas Plant or Burning Bush.)	196 Alpestric Elegantissima. Mixed blue white and rose; dwarf
DICTAMNUS. (Gas Plant or Burning Bush.) An interesting perennial bush growing two feet high and bearing numerous flowers early in	197 Ruth Fisher. Dark, glossy foliage; largest blue flowers; dwarf
the season that emit a pleasing fragrance. 184 Fraxinella. Deep pink	FOUR O'CLOCK. (Mirabilis.) (Wunderblume.)
185 Alba. Pure white	A well-known, old-fashioned, garden favorite
A pretty annual growing two feet high and bearing long stems crowned with a head of lav-	with beautiful foliage and fragrant flowers. They will grow anywhere in the sun, require no spe- cial care and are especially useful as a tempor- ary hedge. In rich loam, plants will spread three
bearing long stems crowned with a head of lavender flowers very similar to the common Queen Anne's Lace which is white. Excellent cut flower. 186 Coeruleus. Blue lavender. Trade pkt.	ary hedge. In rich loam, plants will spread three feet. Blooms first year. 198 Hybrid Fine Mixed. A splendid mix-
186 Coeruleus. Blue lavender. Trade pkt. 60c15	ture of all colors in great variety. ½ oz. 15c, oz. 25c
	,,

GLOXINIA.





Tall stately spikes with large, tube-like flowers prettily spotted. Handsome and ornamental plants for the border, preferring a rich loam and partial shade. Biennials. 3 ft.

(Gloviniaida:

(Gloxinioides.)					
NO.	· ·	PKT.			
199	Pure White	10			
200	Rose Pink	10			
	Purple				
	Mixed				
	Plants ready first of May.				
	I tantis ready just of may.				



G1	ox	ini	ia
----	----	-----	----

Handsome bell-shaped flowers of the richest
colors. NO. PKT.
210 Choice Hybrid Mixed. Saved from a splendid collection of French varieties. Very fine
Also Bulbs in April and May. Gilliflower. See Stocks.
CODETIA (Godetie)
An attractive hardy annual, deserving more extensive cultivation. The plants bloom profusely and bear showy flowers of satiny texture in many rich and varied colors. They do best in a rather poor soil. 1 foot.
and bear showy flowers of satiny texture in many
poor soil. 1 foot.
211 Tall Finest Mixed. All colors
(Kugelamaranth.)
Well-known everlastings, with showy flowers resembling clover heads; extensively used in win-
resembling clover heads; extensively used in winter decorations. Start the seed in heat, and transplant, as they are slow to germinate outside.
Annuals. 212 Globosa Mixed. 2 ft
GOURDS. (Kuerbris.)
Where an immense amount of vine is wanted quickly gourds are very useful. Most will grow 20 to 30 feet in a season. The fruit is curiously-shaped and ornamental. Especially adapted for
20 to 30 feet in a season. The fruit is curiously-
pergolas, tremses, and lences.
213 Hercules Club. Club-shaped
216 Bottle-Shaped, Very desirable
218 Large Varieties, Mixed. oz. 30c
217 Dipper
orange
yellow
GYPSOPHILA. (Gypskraut.)
GYPSOPHILA. (Gypskraut.) (Baby's Breath.) Graceful, free-flowing plants. Flowers small, but produced in great quantities in loose panicles; elegant for bouquets. Succeed well in common garden soil
but produced in great quantities in lose panicles;
garden soil.
223 King of the Market. Finest strain of pure white. ½ oz. 15c, oz. 25c
224 Elegans Rosea. Pink, annual, 1½ ft 10 225 Muralis. Dwarf pink, annual, 6 in 10
226 Paniculata. A fine hardy white perennial especially for bouquets; 2 ft
227 Paniculata, Flore Pleno. Double white20
I tunis of the tutter ready first of way.
Helianthus. See Sunflower. Helichrysum. See Elichrysum.
HELICHRYSUM. (Everlasting or Straw Flower.)
The most popular of all the Straw Flowers. Easily grown annual in any garden with rich soil. Flowers should be cut when half open and hung upside down to dry. 2 to 3 ft. 228 Silver Ball. Pure white
soil. Flowers should be cut when half open and
nung upside down to dry. 2 to 3 ft. 228 Silver Ball. Pure white
229 Salmon Queen. Rare shade
228 Silver Ball, Fure Wiltle
233 Fireball. Scarlet
234 Crimson
233 Fireball. Scarlet
Well known deliciously fragrant plants; excel-
lent for bedding purposes or pot-culture. Half-hardy perennial.
236 Lemoine's Giant Finest Mixed. Best strain
strain
Desirable bushy, hardy perennials, bearing
HEUCHERA. (Alum Root.) (Heuchere.) Desirable bushy, hardy perennials, bearing many slender stems of bright, dark-crimson flowers during July and August. Grow in any good grandon soil.
garden soil. 237 Sanguinea Splendens. Dark-crimson; 1
ft





HOLLYHOCK. (Stock-rose.)

This is one of our handsome ornamental biennials, bearing spikes of flowers, about 5 ft. high, niais, bearing spikes of nowers, about 5 ft. fight, of almost every color. A clump in any garden gives an effect not obtainable with any other plant. Without an equal for planting among shrubbery or as a background. Seed sown in June or earlier will flower the following season. They require dry, deep soil, enriched with plenty of menuical seasons. of manure.

110.		· T ·
	Best Double Varieties	
238	Cherry-red10 239 Maroon	.10
240	Flesh-pink10 241 Rose-pink	.10
242	Sulphur- 243 Pure White.,	.10
	yellow10	
244	SUPERB MIXED. Our own mixture of	
	the choicest kinds, all colors. A beau-	
	tiful assortment. 1/8 oz. 25c	.10
245	Allegheny. Semi-double, fringed; mixed	
	colors; quite unlike the preceding and	
	very showy	.10

Plants carly in May. Hyacinth Bean. See Dolichos.

HONESTY. (Lunaria.)
(Satin Flower.)

Hardy biennial thriving almost anywhere in the sun or shade. The purple, crimson or white flowers are followed by flat transparent seed pods that are much used for winter bouquets. 246 All colors mixed.....

HUNNEMANNIA.

ICE-PLANT. (Eispflanze.)

248 A pretty little trailing plant; the leaves and stalks being covered with small, watery globules, giving it the appearance of being covered with ice. A valuable plant for dry, sunny locations on banks, rockwork, borders and hanging-baskets. Annual

Ipomoea. See Morning Glory. JAPANESE HOP VINE. (H (Hopfen.) (Humulus Japonicus.)

A very rapid growing vine, with fine foliage, which is very dense and quite free from insect enemies, and which endures the heat remarkably frows 25 ft. high and self sows if the ground is not disturbed. Annual.

249 Green Leaved. Large, dark foliage; 1/8 oz. 15c oz. 15c
Variegated. Like the preceding except
with variegated foliage. Makes a handsome vine; ½ oz. 20c. .10 .10 Joseph's Coat. See Amaranthus.

Kenilworth Ivy. See Linaria.

KOCHIA. (Summer Cypress.) (Burning Bush.)
An annual ornamental plant that closely resembles a small cypress tree. It grows as much as 3 ft. high and in the fall changes from green to a flaming red. It makes an exceedingly attractive plant for a temporary hedge or a border for a bed of tall growing plants. The plant will bear

trimming like hedge plants and is easily grown from seed and readily transplanted. Trichophylla. True Summer Cypress;

1/8 oz. 15c.... KUDZU VINE. (Jack-and-the-Beanstalk.)

A rapid growing vine of great merit, Leaves light green and heart-shaped. Attains a growth of 25 ft, the first sea-son if started in a hothouse early. Perennial

Roots ready in April.



LARKSPUR. (Delphinium.) (Rittersporn.) Annual Serts.

For perennial varieties, see Delphinium.

This is one of our best garden flowers. Seeds sown in the open ground before the close of April will produce flowering plants by the beginning of July, and give a continuous succession of flowers from then until frost. They make handsome beds and their free, graceful habit and bright colors are very effective when interspersed in the old-fashioned flower or shrubbery border. Good, rich soil dug deep and a sunny location suit them best.

Double Branching or Stock-Flowered. The finest double flowers and colors. 2½ ft.

253	Pink	.10 25	4 Lilae	.10
			66 Light Blue	
			8 Dark Blue	
259	Superb Mixed.	All cold	ors. ½ oz. 40c	.10

LATHYRUS. (Perennial Sweet Peas.)

Excellent creeping vine for covering rocks, fences, etc., or tied to 3-foot stakes. Make fine cut-flowers.

260 White Pearl. .15 Crimson15 261 Pink Beauty. 263 Fine Mixed ..

LAVATERA. (Annual Mallow.)
Trimestris Mixed. A very beautiful and showy annual, growing about 2 ft. high and covered during the cutire summer with large cup-shaped shrimp-pink flowers; in a border or bed the effect is very bright. Sow in May where they are to bloom and thin out to 12 in. apart.....

Lavender. See Herbs.

LIATRIS. (Blazing Star or Gay Feather.)

Strikingly conspicuous hardy perennial grow-g 5 ft, tall and bearing a long spike of rosying 5 ft. tall and bearing a lopurple flowers in mid-summer.

LINARIA. (Kenilworth Ivy.) (Cymbelkraut.)
This is perhaps better known under the name of Coliseum or Kenilworth Ivy. It is a very handsome trailing plant, suitable for hanging-baskets and window boxes.

266 Cymbalaria. Lavender and purple..... .10



LOBELIA. (Lobelie.)

Exceedingly pretty, profusely-blooming plants, of easy culture; valuable for beds, borders, baskets, etc. Tender perennials, flowering first season from seed.

Erinus Gracilis. Light blue; trailing; fine for baskets. Light green foliage. 1/2 oz. 40c.... 267 .10 .10 Love in a Mist. See Nigella.

Lovegrove. See Nemophila.

LUPINE. (Wolfsbohne.)
Easily grown plants producing long spikes of different colored pea-shaped flowers. Valuable for beds and cut-flowers.

269 271	Rose	270	Sky Blue Mixed	
273 275	Rose	274	ts. Sky Blue Mixed	

Marguerite. See Carnation.

Matricaria. See Feverfew. Martynia. See under Herbs.

MALLOW MARVELS.

There is no more striking sight than a plant of this grand perennial in full flower in August and September. The individual flowers are of enormous size, many measuring 9 in. or more across. In texture they resemble the finest satin. Their coloring is gorgeous, embracing all the beautiful variations from white to deep red. Our seed has been grown from plants selected for size and brilliancy of bloom. Everyone should have a few plants of these. They adapt themselves readily to all locations and conditions of soil. Very popular.

Roots ready in May.

MAURANDIA.

Half hardy climber that blooms the first season from seed. Used for trellises, hanging baskets and porch boxes.

280 Fine Mixed. Blue, purple and white..........................15

MARIGOLD. (Tagetes.) (Sammetblume.) In the autumn these old garden favorites are in their prime with a wealth of bright colors. Easy of culture and suited to bedding in light soil in full exposure to the sun. The rich yellows in combination with the blue Larkspurs and Cornflowers are very striking.

Double African Sorts.
These are uniformly large and self-colored in yellow or orange.
281 Tall Orange
282 Tall Lemon



French Marigold

French Sorts.

These are smaller in size of flower but none the less handsome and striking. Includes both striped and single kinds. Fine for edgings.

NO.		KT.
284	Golden Heart. Very large flowering.	
	Golden vellow, brown margin	.10
285	French Tall Double Mixed. 1/8 oz. 15c	.10
286	Single Legion of Honor. Dwarf, golden	
	vellow with a crimson spot on each	
	petal	.10
287	French Double Dwarf Mixed. 1/8 oz. 15c.	.10

A well-known favorite for pot or garden culture, with very fragrant spikes of flowers. If well thinned out they produce stronger plants and larger spikes of flowers. Grown in light, sandy soil, its fragrance is much stronger than when grown in a rich soil. Cannot be transplanted.

288	Large Sweet-scented. The best for gar-	
	den. ¼ oz. 20c, 1 oz. 60c	.10
289	Machet. Of dwarf pyramidal growth,	
	bearing numerous flower stalks; highly	
	colored and very fragrant. 1/4 oz. 25c	.10
290	Goliath. Of strong, yet compact habit,	
	with rich green foliage; the giant trusses	
	of flowers being borne on erect, strong,	
	stiff stalks and surpassing all others	
	in brilliancy of color; especially suited	
	In printancy of color, especially suited	.10
	for house culture. 1/4 oz. 50c	
291	Pyramidal Salmon Queen. 1/4 oz. 40c	.10

MIMOSA. (Sensitive Plant.) (Sinnpflanze.)

A very interesting and curious plant, its leaves closing if touched or shaken. Good garden loam. Annual.

MIMULUS.

Moschatus. (Musk Plant.) A small trailing plant with yellow flowers and fragrant foliage; used in hanging baskets or pots and to cover the soil in pots containing large plants. 2921 Moschatus. Mirabilis. See Four O'Clocks.

Momordica. See Balsam Pear.

MONARDA. (Bergamot.)
A perennial aromatic herb, growing two feet high and bearing tufted heads of red or deep rose colored flowers. An old-fashioned favorite.

293 Didyma. (Cambridge Scarlet.) Lustrous dark scarlet Monk's-hood. See Aconitum.

MORNING GLORY. (Trichterwinde.) (Convolvulus Ipomoea.)

Extensive genus of twining plants; remarkable for their fine foliage and showy flowers. Well adapted for open air or greenhouse culture. An-NO. Finest Mixed. Imported from France; includes every color. Oz. 35c, 1/4 lb. \$1.00 Imperial Japanese. Giant flowers in many shades and color combinations and will not scatter seed. Soak the seed 24 hours before sowing or some may take all summer to sprout. Oz. 40c, 1/4 lb. \$1.25 \$1.25
Heavenly Blue. A giant flower of the Japanese type grown separately on account of its great beauty. \$1.25

MOON FLOWER.

At night and during dull days the plants are covered with an abundance of large, pure white, fragrant flowers, 5 to 6 in. in diameter. It grows very rapidly and will cover a large surface. The most rapid grower of any annual in a sunny location. cation. 297 White. (Ipomaea Grandiflora.) ¼ oz.

40c Plants ready end of May. Mourning Bride. See Scabiosa. Musk Plant. See Mimulus.

Myosotis. See Forget-Me-Not. NASTURTIUMS.

For picking for the house, few flowers can compare with these easily grown annuals. Time was when no garden was without a few, either tall or dwarf, but the appearance of black aphis makes it necessary to have a sprayer and some Nicotine handy. The soil seems to get "sick" when they are grown too often in the same spot

disappointing. The flowers resilts are and the results are disappointing. The more masturtiums are picked the more flowers will come, altho if a few seeds are wanted to pickle and allowed to ripen, no particular harm would be done. The tall kinds are suitable for training up on posts or fences, the dwarf for a border.

Superb Hybrid Tall Mixed. A blending of all the various shades. Oz. 25c, 1/4 lb. 75c lb. 75c

Dwarf Mixed. Separate named varieties mixed in proper proportions. Oz. 25c, ½ lb. 75c. .10

NEMOPHILA. (Lovegrove.) (Triften oder Hainblume.)

Neat and compact, with varied and beautiful colors, blooming all summer. Suitable for beds, borders and pot culture. Grow best in a moist, partially-shaded situation and not very rich soil. Aimiral 300 Finest Mixed. 3/4 ft......

NICOTIANA. (Tabak.) (Sweet Scented Tobacco.)

NIGELLA. (Love in a Mist.) (Schwarzkuemmel.)
Popular annuals growing about 18 in. high.
Slender and pretty cosmos-like foliage. The
double rosette-like flowers are nice in the garden
as well as for cut-flowers. Sow outside in May.
301 Finest Mixed. Blue and white. 1ft... 10
302 Miss Jekyll. Large, corn-flower blue... .10

OENOTHERA. (Evening Primrose.) (Nachtkerze.) Beautiful, free-flowering plants, very useful for beds and borders, flowering in long spikes. Com-mon garden loam. Biennial. 303 Biennis. Beautiful clear canary-yellow. .10



PANSY

(Heartsease, Viola Tricolor.)

(Stiefmuetterchen.)

We endeavor to get absolutely the best strains of Pansies grown in France, England and Germany. A perusal of the list will show the choicest varieties, regardless of cost and if proper care is exercised in sowing, the germination will be found to be high. Seed sown in hotbeds or cold frames in February or March will flower better during the fall and winter, while that sown in August or September and wintered over will give better results in spring and summer. On account of the delicate nature of the fancy varieties, extreme care should be used to start the seeds, light, rich soil, made fine with a rake or sieve being important and a covering of newspaper or cheese-cloth until the seeds, which should be only slightly covered with soil, are up, is absolutely necessary to insure a good stand.

If more plants come up than are needed, when they have their fourth or fifth leaf transplant them 3 in. apart each way, taking them as they come, rather than picking out the strongest, as the delicate plants are apt to produce the finest flowers. Protection from the midday sun is necessary to have large

flowers, and keeping them picked will extend the flowering period. A mulching of Sheep Manure twice a month and a dusting of Tobacco Dust as often, will make them grow and keep the insects away.

The Giant flowering only are listed.

NO.	P	KT.	NO.	P
304	Trimardeau Mixed. 1/4 oz. 75c, oz. \$2.50		319	FANCY SELECT. This mixture is our
305	Bugnot. Mixed; stained			own selection from the above list of all
306	Parisian. Mixed; stained	.20		the rarest, high-priced varieties and is
307	Masterpiece. Mixed, blotched and curled	.20		intended for the specialist. None of the
308	Cassier's Blotched. Mixed	.20		ordinary colors are included but only
309	Madame Perret. Wine shades	.20	l	the new, rare, unusual shades. 1/8 oz.
310		.20		\$1.75, oz. \$6.00
	Pure White		320	English Giants. A collection of the larg-
311	Imperial Blue. Blue	.20		est and choicest grown in England. 1/8
312	Lord Beaconsfield Improved. Purple and			oz. \$1.25, ¼ oz. \$2.00, oz. \$7.00
	white	.20	321	Tufted Pansies. (Viola Cornuta.) Until
313	Indigo Blue	.20		recently, these have been little appreci-
314	Cardinal. Rich red	.20		ated in this country. In France and
315	Azure Blue	.20		England they are used extensively for
316	English Faced. Mixed		i	borders, where their masses of bright
317	Black. True		200	flowers are charming
318	SUPERB MIXED. Our own mixture of		022	includes all the unusual shades of col-
910	all the above large-flowering sorts in-			oring in Pansies; chamois, terra-cotta,
	cluding the very choicest Pansies grown.			pink, lilac, rose and orange. Medium in
	It is unsurpassed. ½ oz. \$1.00, ¼ oz.		1	size, yet dainty and admired for their
	\$1.75, oz. \$6.00			charming markings
	φ1.10, 02. φ0.00	•40		chaiming markings

Plants raised from our own stock seed, o

PASSION FLOWER.

Few effects are more charming than these blue Passion flowers covering a greenhouse wall with their rich green foliage and sky-blue blossoms. NO.

PENTSTEMON. (Fuenffaden, Bartfaden.)

SINGLE PETUNIA. (Petunie.)

For outdoor decoration or house culture few plants equal the Petunia in effectiveness. They commence flowering early and continue a sheet of bloom throughout the whole season until killed by frost; easily cultivated, only requiring a good soil and sunny position.

2011	and sunny position.	
326	Giant Ruffled. Coppery red. An attractive new shade	.25
327		
	usual size and substance, ruffled and fringed in most beautiful colors; half dwarf. Trade pkt. \$1.00	.50
328	California Giants. Magnificent strain of immense flowers in many shades, all with veined throats	.50
329	Rosy Morn. A soft carmine pink with white throat; grows bushy, 8 inches high and makes an effective border	.10
330	Elk's Pride. Best strain of blackish purple with plain edge	.25
331	Extra Choice Mixed Hybrid. Excells for mass planting, in brilliancy and contin-	.10

Single Fringed Type

These are intended for hanging baskets and window boxes to hang over the sides. Large flowers in clear, rich, solid colors.

332	Pride of Portland. Dee	p rose
333	Scarlet Beauty	
334	White Beauty	
9941	Dial December	0.0

	own selection from the above list of all	
	the rarest, high-priced varieties and is intended for the specialist. None of the	
	ordinary colors are included but only	
	the new, rare, unusual shades. 1/8 oz.	
	\$1.75, oz. \$6.00	.20
320		
	est and choicest grown in England. 1/8 oz. \$1.25, 1/4 oz. \$2.00, oz. \$7.00	.25
321		.23
021	recently, these have been little appreci-	
	ated in this country. In France and	
	England they are used extensively for	
	borders, where their masses of bright	
200	flowers are charming	.20
322	Orchid Flowering. This distinct strain includes all the unusual shades of col-	
	oring in Pansies: chamois, terra-cotta,	
	pink, lilac, rose and orange. Medium in	
	size, yet dainty and admired for their	
	charming markings	.20
ne d	ozen in a basket. Ready in May.	
,,,, a	ozen in a caoner. Iceday in may.	



DOUBLE PETUNIA.

It is, perhaps, not generally understood by the buying public that seed of the double sorts are only obtained by artificially fecundating single blooms with the pollen from the double. This makes the seed necessarily high priced. In spite of all possible care only a small percentage will produce double flowers, but the singles are of an unusually fine quality. The finest doubles are always grown from seed; when propagated from cuttings they degenerate.

The weaker seedlings should be carefully saved, as these invariably produce the finest double blooms. The same is true of the single sorts, the large strong seedlings usually being weedy, while the, at first, least promising ones produce the very finest flowers of the best colorings.

It is always best to sow Petunias indoors and transplant to the open in May.

Plants ready in May.



PHLOX DRUMMONDII GRANDIFLORA.

The Phloxes are the showlest and most easily raised of all Annuals. We know of nothing which produces such a continuous supply of the most attractive flowers in a most wonderful range of colors. All the tints of the rainbow are represented with all possible variations of stripes, veins and eyes of contrasting shades. Seed should be sown in the ground as soon as danger of frost is over and in a few weeks the beds are a blaze of glory. May be grown in beds or borders, boxes or vases and make splendid cutting material as the blooms last long in water. 1 ft. NO.

NO.		XT.
336	Pure White10 337 Bright Scarlet	.10
338	Bright Pink10 339 Dark Purple	.10
340	Bright Rose, White Center	.10
341	Flesh Color, Purple Center	.10
342	Isabellina. Yellowish	.10
343	Star Phlox Mixed. A novel star-shaped	
	flower of the prettiest colors	.10
344	SUPERB MIXED. Our own splendid	
	mixture of above separate colors and	
	kinds, insuring some of every color in	
	each packet. ¼ oz. 75c, oz. \$2.50	.10

A very fine collection of choicest varieties of plants ready in April.

Platycodon. See Campanula. Polyanthus. See Primula.

Roots ready in April.

POPPY. (Papaver.) (Mohn.)
Annual Poppies should be sown as early in the spring as possible where they are to remain, as they do not stand transplanting. Sow very thinly, preferably in cloudy weather or after a shower, barely cover the seed, press down firmly, and they will come up in a few days. If they come up too thickly they must be thinned out to stand 3 or 4 in. or more apart if you wish best results. It is well to make several sowings at in-



Carnation Poppies

tervals to keep up a succession of bloom. If picked just before expanding the flowers will last several days. It is also advisable to pick the old flowers as soon as fallen, which will lengthen the blooming season quite a while.

NO. .10 .10 .10

HARDY PERENNIAL POPPIES.

Oriental Poppies should be sown in early spring oriental roppies should be sown in early spring in the open ground as soon as it is fit to work. The plants disappear during July or August, appearing again as soon as the weather gets cool. It is well to mark the places they are planted with a stake to insure the roots against disturbance during their annual resting neried. ance during their annual resting period.

352	Bracteatum. A very large orange-scar- let flower, averaging 5 in. in diameter; perennial; 3 ft	.10
353	Orientale, Victoria. Bright salmon with black blotch on each petal	.15
354	Orientale, Hybrid Mixed. Many brilliant colors and odd shades; flowers of large size	.15
355	Iceland. Hardy, flowering the first year from seed, blooming almost as quickly as the annual sorts. They are of graceful, neat habit, with bright green, fernlike foliage, 12 in. high, bearing their brilliant white, yellow and orange flowers in endless profusion; most useful for	
	ers in charess profusion, most accerate	1.0

Plants ready in May. California Poppy. See Eschscholtzia.



PORTULACA. (Portulak.) (Irish Moss.)

Too much cannot be said in praise of this popular and handsome annual which produces a perfect carpet in a remarkably short time. Succeeds best in an exposed, sunny location and flourishes in dry and very shallow soil. It is of a creeping nature with moss-like foliage, which from early summer until frost is hidden by the brilliant rose-like flowers that open wide in the morning and close in the evening. Because of its foliage it is frequently known as Irish Moss or Moss Rose. It is well to mix the seed with three or four times its bulk of dry sand or soil which permits an even and easy distribution of the seed. It may safely be sown the latter part of April.

Bur.	ij be sown the latter part of mprin	
NO.	PE	XT.
356	SUPERB MIXED. Our own mixture of	
	the finest separate colors and unsur-	
	passed for brilliancy and size. 1/8 oz. 20c,	
	oz. \$1.00	.10
357	White10 358 Coppery Rose	.10
359	Yellow10 360 Bright Scarlet	.10
361	Pink10 362 Rose Striped.	.10
363	Double Mixed. Saved from the best va-	
	rieties and colors and producing a large	
	percentage of double flowers. 1/4 oz.	
	\$1.00	.15
	Pot Marigold. See Calendula.	

PRIMULA. (Primrose.) (Primel.)

PRIMULA. (Primrose.) (Primel.)
Greenhouse Kinds.
The charming and beautiful Chinese and Obconica Primroses are indispensable for winter and spring decorations in the home or conservatory. They are of the easiest culture in the greenhouse or light window of the living-room, flowering abundantly and continuously with little care. Press the seed in lightly to barely cover. To develop the best flowers and most brilliant colors grow in a heavy soil and as near 60 degrees as possible. possible.

364	Chinese Fringed Mixed. The finest, large-	
	flowering sorts of all colors	.50
365	Obconica Grandiflora, Apple Blossom	
	Pink. A beautiful soft pink of very	
	large size	.25
366	Obconica Grandiflora Mixed. A choice	
	strain of the freest-flowering type	.25

PRIMULA. (Primrose.) Hardy Kinds.

368

.25

Plants ready in April.

PYRETHRUM.

From a massive tuft of lace-like foliage numbers of straight, leafless stalks grow 18 in, high crowned with daisy-like flowers. Favorite perennials which bloom the first season from seed if started very early. Remove the flower-stalks after blooming for a second crop in the fall.

369 Roseum. Daisy-like in white, pink, rose and crimson shades, and yellow centers, One of the most graceful cutflowers....

Plants ready in May. Reseda. See Mignonette.

RICINUS. (Castor Oil Bean.) (Wunderbaum.)

Tall growing and highly ornamental plants, with beautiful foliage and brilliant-colored fruit. If planted singly on lawns they produce a fine effect. Annual.

Ri	cinus of any sort, ½ oz. 15c, oz. 25c.	
370	Major. Dark-green foliage; 10 ft	.10
371	Sanguineus. Blood-red stems and fruit,	
	green leaves: 7 ft	.10
372	Cambodgensis. Leaves maroon; stems	
	black; 5 ft.; very beautiful	.10
373	Gibsoni, Dark purple-red foliage: 5 ft.	-10

374 Minor. Dwarf, with rose-colored fruit; 4 ft.
Zanzibariensis. Immense leaves of the
most handsome colors which present a
beautiful pyramid of foliage thickly set
from the bottom up; 10 to 12 ft. .10 375 .10



Ricinus or Castor Oil Bean

RUDBECKIA. (Cone Flower.)

NO. PKT. Newmani. One of the finest of autumn-flowering perennials, bearing large flow-ers of bright orange-yellow petals, sur-rounding a large black cone; a showy 376 flower



SALPIGLOSSIS. (Trompetenzunge.) (Painted Tongue.)

(Painted Tongue.)

These showy half-hardy annuals bear beautiful funnel-shaped flowers having dark veins on a ground which varies from white to crimson, orange, yellow, etc., almost orchid-like in appearance. Closely allied to the Petunias, but grow erect, producing an abundance of bloom from late summer until frost. The seed is very fine and should be sown carefully and sparingly as the plants are not readily transplanted. They thrive in a light, rich, sandy loam and will respond to liberal treatment. 2 ft.

377 Scarlet on gold background
off Startet on gold background
378 Violet. Self color
379 Purple on gold background
380 Dark Red. Self color
381 Light Blue on gold background
382 White and Yellow
383 Emperor Finest Mixed. All the above
and as many more other shades. 1/8 oz.
30c, ¼ oz. 50c

SALVIA. (Salbei.)

SALVIA. (Salbel.)
Scarlet Sage.

By far the most brilliant bedding plant we can nave. The seeds should be started in the hot-bed or house in February or March and the plants set out middle of May, 15 or 18 inches apart in soil as rich as it can be made. After that they require very little care. If the spikes are cut off as soon as they have bloomed the plants will continue to blossom until frost.

DIODI	Som diffit Hosti	
NO.	Pl	KT
384	Improved America. Our finest strain of	
	tall. Very early and continuous bloomer.	
	1/4 oz. \$1.50	.2
385	Fireball. Bushy, compact growth; 2 ft.	
	1/4 oz. 75c	.1
386	Splendens. Spikes shorter than "Ameri-	
	ca" and does not grow as tall; 30 in.	
	1/4 oz. 75c	.1
387	Zurich. Fine, dwarf, large flowering	
	sort, growing 15 to 18 inches high. 1/4	
	oz. \$1.50	.2
	Potted Plants ready in Man	

SAPONARIA. (Soapwort.) (Bouncing Bet.)

Vaccaria. A pretty annual with masses of satiny pink flowers. Must be sown three or four times if flowers are wanted throughout the season.

SCABIOSA. (Mou. (Scabiose.) (Mourning Bride.)

The erect 2½ ft. stems terminate in handsome flat, very double flowers with tubular petals from which yellow stamens protrude to resemble pins. The blooms are so abundant from July until frost and last so well when cut that this is one of the most popular garden flowers. Sow any time when danger of frost is over in good loam.

	Annual Varieties.	
389	King of the Blacks. Fine deep purple	.10
390	White10 391 Azure Fairy	.10
392	Fiery Scarlet10 393 Yellow	.10
394	Yellow10 395 Choice Mixed.	.10
396	Shasta. New strain of giant flowering	
	white, 3 inches in diameter. \(\frac{1}{2} \) oz. 75c	.15
397	Peach Blossom. Giant flowering pink,	
	2 inches in diameter, on fine long stems,	
	1/8 oz. 75c	.15
	Th	
•••	Perennial Variety.	
39 8	Caucasica. (Blue Bonnet.) Lilac-blue;	
	good cut-flower; 3 ft	.15

Plants ready in April.

SCHIZANTHUS. (Spaltblume.)
(Poor Man's Orchid.)
This is one of the airiest and daintiest flowers imaginable, especially adapted to bordering beds of taller flowers and those of a heavier growth. The seeds germinate quickly and come into bloom in a few weeks from sowing. The florescence is such as to completely obscure the foliage, making the plants a veritable pyramid of the most delicate and charming bloom. The Schizanthus make admirable pot plants for the house in late winter and early spring. For this purpose sow in autumn.

autumn.
399 Dr. Badger's Giant Hybrids. Tall growing type with very large flowers. All colors mixed

Sensitive Plant. See Mimosa.
Snapdragon. See Antirrhinum.
Snow-on-the-Mountain. See Euphorbia.
Spider Plant. See Cleome.

STOCKS. (Gilliflower.)
(Levkoyen.)
The charming colors, delightful fragrance, and free blooming character of the stocks have made them favorite plants for both summer and winter cultivation. They are very effective for beds and borders, and their handsome flower spikes are invaluable for bouquets and floral decorations. The large-flowering Ten-week section is the earliest to bloom. For succession sow the Cut-and-Come-Again varieties, which bloom abundantly until frost. 1 ft.



	Double Large	Flow	erins	Ten-Weeks.		
Double Large Flowering Ten-Weeks. Dwarf German.						
NO.	171	vari o	C1 1112	IP.	KT.	
	D1 1 D . 1	1.0	402		.10	
401	Blood Red	.10				
403	Carmine Pink	.10	404	Dark Blue	.10	
405	Deep Rose	.10	406	Canary Yellow	.10	
407	Pure White	.10				
408	Finest Mixed.	1/8 OZ.	75c,	1/4 oz. \$1.25	.10	
		Giant				
	Branchin					
409	Fiery Red	.15	410	Canary Yellow	.15	
411	Flesh Pink	15	112	Lavender	.15	
413	Rose Pink	15	414	Pure White	.15	
					.15	
415	Finest Mixed.				.13	
		sden P				
	(Cut-a					
416	Brilliant Red.	.15	417	Creole Yellow.	.15	
418	Deep Rose	.15	419	May Queen,		
				Blue	.15	
420	Princess Alice.	Pur	e wh		.15	
421	Finest Mixed	1/6 02	\$1.0	0, ¼ oz. \$1.75	.15	
ADI						
Summer Cypress. See Kochia.						



Miniature Sunflower

SUNFLOWER. (Helianthus.)

SUNFLOWER. (Helianthus.)

(Sonnenblume.)

The larger varieties are useful in forming backgrounds of large beds or borders and for distant effects, while the smaller sorts may be planted with scarlet salvia, cannas and other tall bedding plants, also furnishing good cutting material. Hardy annuals.

422 Globe Flowered. Double globe or dahlialike flowers of a rich saffron yellow. 7 ft.

.10 Californian.

Value of the common yellow Field Daisy. The dainty golden-yellow flowers. 4 ft. 1/4 oz. 15c, oz. 30c


Miniature. (H. Cucumerifolius.) Identical in appearance with our common yellow Field Daisy. The dainty golden-

.10

NO.	PKT.	NO.
	vellow flowers are borne in profusion	427 Purpure
	on long stems, which with the foliage	Does no
	make ideal subjects for vases and jar-	the red
	diniers in the house. Will grow in any	have ye
	soil: 2 to 3 ft. ½ oz. 25c	
426	Perkeo. A dwarf form of the preceding.	428 Single
-10	growing 19 inches high	sunflow

PKT.	NO.		KT.
ion	427	Purpureus. The new Red Sunflower.	
age		Does not come true but can be told by	
ar- ·		the red stem; green stemmed plants will	
ny		have yellow flowers	.10
10			
ng,	428	Single Russian. The tallest common	
10		sunflower. 1 oz. 15c	.10

SWEET PEAS



Sweet Peas

I'rice for all except those marked thus * are 10c per packet, 40c per ounce, ¼ lb. for \$1.25. Those marked thus * are 15c per packet, \$1.00 per ounce.

	Giant Flowering Late Spencers.
NO.	PKT
429	America. Red Flake, white ground.
430	Asta Ohn. Pinkish lavender.
431	Blanche Ferry. Pink and white.
432	Campfire. Bright scarlet.
433	Carmelita. Rose pink on white ground.
434	Crimson King. Rich deep crimson.
435	Constance Hinton. Giant pure white.
436	Daffodil. Deep crimson.
437	Defiance. Glowing orange-scarlet.
438	Del Monte. Salmon cerise pink.
439	Fiery Cross. Bright red orange-cerise.
450	Fortune. Rich dark blue.
451	Hawlmark Lavender. Clear light lavender.
452	Hawlmark Scarlet.

453 Heavenly Blue. Delphinium blue.

454 Hebe. Large bright pink.

455 Illuminator. Salmon orange, overlaid cerise.

456 Ivory Picture. Ivory cream.

Modern culture of Sweet Peas has produced so many beautiful colors and such large flowers that they are almost indispensable. That these fine new varieties are harder to grow, goes without saying, for with many people success seems to be the exception.

We made a canvass among our customers and have come to the conclusion that poor soil causes most of the failures and the unfavorable place they were sown and the wrong method of cultivation caused the rest.

Sweet Peas need rich soil—the richer the better—and it should be rich to a depth of at least one foot. Raw Bone Meal, a pound to three feet of row, is the best fertilizer, especially in heavy soil. Sheep manure comes next, and old cow manure and rotted horse manure follow, but fresh horse manure should never be used and in no case should any fertilizer come into direct contact with the seed, especially if the fertilizer is fresh.

In clay soil, three or four inches is a sufficient depth to sow the seed and in light soils six or eight inches will be better. Some people advise sowing the seed in a trench and filling in the soil as the plants grow, but this sometimes smothers the plants. Others advise covering the seeds to the proper depth at once and treading the soil down firmly. The latter method will take the seed longer to grow, so that early sowing is necessary if early flowers are wanted. By this method successive sowings may be made so that flowers may be had until frost.

Better results are obtained by having the vines away from walls and tight fences, as the plants seem to require air.

If the soil is frequently stirred and watered too often, rank vines are obtained, but at the expense of flowers. It is therefore better to only pull the weeds and stir the soil but little. If the vines are allowed to go to seed they soon cease blooming.

A mulch of lawn trimmings or similar material laid about the plants keeps the soil moist and cool and also checks the growth of weeds.

If the seed is treated with Sweet Pea Bacteria there will be an increase in size of flower and a more extended blooming season.

Our grower in California has recommended the following list as being the best of the 150 kinds he grows.

NO.						PKT.
457	Mary salmo	Pickford.	Dainty	cream	pink,	suffused

458 Mermaid. Rich true lavender. 459

Miss California. Orange salmon, cream pink. Powerscourt. Fine lavender. 460

Royal Purple. Rich purple. Royal Salute. Scarlet cerise. 461 462

Snowball. Dazzling white. 463

Tangerine. Orange. 464

Warrior. Giant maroon. 465


466 What Joy. Cream.

Youth. Large white, pink picotee. 467

Superb Mixed Giant Flowering Spencers. To the best mixture we are able to buy, we add some of each of the above list. Per pkt. 10c, per ounce 35c, ¼ lb. \$1.00, pound \$3.00.

DWARF SWEET PEAS.

Cupids Mixed. These grow six inches high and make compact bushes, suitable for a border. Pkt. 10c, oz. 15c, ½ lb. 40c. Hardy Sweet Peas. See Lathyrus.



SWEET ROCKET. (Nachtviola.)

Showy hardy perennials growing two or more feet high and bearing spikes of fragrant flowers that will continue in bloom for several weeks if not permitted to go to seed.

NO.										DI	KT.
470	Purple.	(1)	1110'6	- 1	7in	lat	١.				10
410	T arbie	(1)	une s	•	10	iei.	,	 	 	 	.10
471	Pure V	White									.10
317	I UIO	HILLO						 	 	 	.10
470	Elimo Mi	for a section									10
414	Fine M	uxeu						 	 	 	.10

SWEET SULTANS. (Centaurea Moschata.)
Undoubtedly the finest of all Centaureas for cut
flower purposes. The beautiful sweet-scented,
artistic-shaped flowers are borne on long, strong
stems, and when cut will stand for several days
in good condition. It is best, in this latitude, to
sow very early in the spring, so that they may
perfect their flowers before very hot weather
comes. comes.

473 Americana (Basket Flower). A splendid native variety, 3 ft. high, bearing immense thistle-like blooms of a rosylavender color. Very showy in the mixed border and splendid for cutting. 1/4 oz.

.10 Suaveolens (Grecian Cornflower). Very showy, large, bright yellow flowers; sweetly scented and a popular sort for cutting, lasting well.

Imperial Mixed. Colors white and shades of pink, lilac and purple; flowers large and numerous. 1/4 oz. 45c.



SWEET WILLIAM. (Dianthus Barbatus.) (Bartnelke.)

(Bartnelke.)

Attractive, free-flowering hardy perennials usually classed as Dianthus with China Pinks, but are different from them in not blooming until the second year. In beds and borders they will produce a splendid effect in their rich, velvety flowers of many colors. They are of easy culture and profuse bloomers, appearing so early in the season that they fully repay for time and effort spent upon them. It is much better to raise new, vigorous young plants from seed every season than to divide the old plants

than	to divide the old plants.	
476	Pink Beauty. Striking salmon-pink	.10
477	Scarlet Beauty. Bright scarlet	.10
478	Dark Crimson. Rich dark shade	.10
479	Giant Auricula-Eyed. Various colors with	
	well-defined eyes	.10
480	Finest Single Mixed. All colors. 1/4 oz.	
	50c	.10
	Plants ready in May.	
	i wants ready in May.	
481	Double Mixed. A choice blend. 1/4 oz.	



THUNBERGIA. (Thumbergie.)
(Black-eyed Susan.)
Beautiful, rapid-growing annual climbers, ferring a warm, sunny situation; used extensively in hanging-baskets and vases. Very pretty flowers in buff, white, orange, etc., with dark eyes; mixed colors; 4 ft. NO.

482 Finest Mixed

TORENIA.

Beautiful, free-flowering plants; suitable for pot-culture in house or conservatory. They also succeed well in a moist, shady border, during the summer months, and, for baskets and vases, are unsurpassed. Light, rich loam. Tender peren-

Fournieri. Azure blue, with three dark blue spots and bright yellow throat....

TRITOMA. (Red Hot Poker.

VALERIANA. (Valerian.)
(Hardy Garden Heliotrope.)
Showy border plants with large heads of sweetly fragrant flowers of pinkish-white during June and July.

485 Officinalis. Strong heliotrope odor. 3 to 4 ft.....

.10

ors, large eyes. SUPERB MAMMOTH MIXED. Our own

Plants ready in May.

VERONICA. (Speedwell.)
Hardy perennial with spikes of flowers in various colors, mostly shades of blue, in varying heights.

Spicata Very Fine Mixed. Blue, white and pink; 1½ ft.....



VINCA. (Sinngruen.) (Madagascar Periwinkle or Old Maid.)

Beautiful free-flowering plants, with handsome blossoms. Seed should be sown early inside and transplanted into the border in May or June, where they will give fine blooms through the summer and autumn. Light, rich soil.

NO.

495 Pure White.. .10 496 Rose Pink10 497 Mixed Varieties. Four sorts. 1/8 oz. 35c .10

Bedding Plants ready in May.

VIOLET. (Viola Odorata.)

Well-known hardy plants with single deep blue flowers of delightful fragrance. Used extensively for winter in the greenhouse. Good also in the for winter in the rock garden.
rock garden.
498 Odorata Perpetual. Sweet scented, deep

Violas. See under Pansies.



WALLFLOWER. (Cheiranthuscheiri.) (Gelbyeil oder Goldlack.)

These fragrant flowers should be better known. Their adaptability for outdoor growth and for pot-culture should win favor here as in Europe, where they are very popular. The oriental coloring of the blooms in their rich reds and yellows is very effective. Succeed best in light, rich soil in a moist atmosphere. Sow the seed early in a hot-bed and transplant. On the approach of cold weather pot and grow in the house to flower all winter. Tender perennial. 2 ft.

NO.

XERANTHEMUM. (Everlasting.)

Handsome double everlasting flowers easily dried and used for winter bouquets. Annual.

501 Annuum Mixed. White, pink and pur-

ZINNIA

With seed supplies cut off from the usual sources during the late war, the world turned to California to fill the gap. The result brought us, among other things, the modern Zinnia. Not only have they been greatly increased in size of flower but also in color range until we now have more than a dozen. Not only that, but new forms have been developed so that the Zinnia now ranks as one of the two or three most popular and widely sown flowers grown. That all these improvements have been made without sacrificing vigor and sturdiness of the plants is gratifying because there is hardly another plant that will flower so well under adverse conditions. The separate colors enable our friends to work out almost any color scheme in the garden, an art in garden-making that adds greatly to the pleasure of the effort. of the effort.

California Giant Double.

503 505 507 509 511	Scarlet .15 504 White Crimson .15 506 Canary Yellow Shrimp Pink .15 508 Golden Yellow Salmon Rose .15 510 Apricot Deep Rose .15 512 Special Mixed Any of above ¼ oz. 60c Giant Dahlia Flowered Type	.15 .15 .15 .15 .15
513	Exquisite. Light rose; deep rose center	.20
514	Golden State. Rich orange yellow	.20
515	Crimson Monarch. Largest and best red	.20
516	Meteor. Deep red	.20
517	Oricle. Orange and gold	.20
518	Dream. Deep lavender turning to purple	.20
519	Canary Bird. Delicate primrose	.20
520	Polar Bear. Pure white	.20
521	Gold Medal Mixture. 1/8 oz. 75c	.20

Giant Mammoth Type.

522	Enchantress. Light rose
523	Lemon Queen
524	Orange King. Burnt orange
525	Rose Queen. Bright rose
526	Scarlet Gem
527	Finest Mixed. ½ oz. 50c
R1	Lilliput Type. ossoms an inch in diameter; plants 8 inches
high	
528	Finest Mixed. 1/8 oz. 15c
529	Red Riding Hood. Scarlet
	Picotee Type.
	mes in many colors, the petals of each color
edge	ed with a darker shade.



Bulbs, Roots and Plants

BEGONIAS. (Tuberous Rooted.) May be grown in partial shade or in the Each	Doz.
full sunlight if kept moist, may be planted out of doors latter part of May.	
They bloom continually from July until frost and produce a gorgeous ef-	
fect. Single Pink, Apricot, Scarlet, Crimson, White and Yellow \$.25	\$2.50

CALADIUM. ESCULENTUM

Commonly called Elephant's Ears. One of the most beautiful and ornamental foliage plants. Will grow to immense size if well taken care of. Small bulbs (for bedding), each 15c; Medium bulbs, each 25c; Large bulbs, each 35c.

EVER-BLOOMING FRENCH CANNAS—(Started Plants)

City of Portland. Strong growing, deep pink. Stalk grows 31/2 feet in height	\$.25	\$2.50
Hungaria. The new rose-pink. Stalks 3½ to 4 feet	.20	2.00
Apricot. A rich apricot. 4 ft	.20	2.00
King Humbert. Orange-scarlet streaked with crimson. Height 41/2 to 5 feet.		
Per hundred \$1200.	.20	2.00
Queen Helen. (Yellow King Humbert.) A sport of the preceding with green		
leaves and rich deep yellow flowers. 4½ feet	.20	2.00
Statue of Liberty. Bronze foliage and large orange-scarlet flowers. 6 ft	.20	2.00
The President. Glowing scarlet canna, does not fade in the sun; height 4 feet	.30	3.00
The Ambassador. Fiery scarlet flowers, darkly veined bronze leaves; height 4		
feet. (Bronze Leaved President)	.20	2.00
Beaute Poitevine. Crimson-scarlet, spotted darker. 3½ feet	.20	2.00
Richard Wallace. Pure unfading Canary in color. 5 feet	.20	2.00
Eureka. The best pure white; robust grower. 4 feet	.25	2.50
Golden Wedding. Rich golden yellow, large trusses; 3 feet	.25	2.50

DAHLIAS

Chief among the newer of these is the Cactus type with long and twisted petals, which is a radical departure from the old-fashioned "Show" Dahlia with each petal set in its place. Then there are Decorative and Fancy Dahlias with reflex petals. Pompon Dahlias, which have small ball-shaped flowers, Single Dahlias in many beautiful colors and the tall-growing, loose-petaled type with its big fluffy blooms. We submit below a list of the very finest Dahlias that are now cultivated. These are so widely different from the common garden Dahlias of a few years ago that they will scarcely be recognized as belonging to the same group of flowers.

CACTUS DAHLIAS

Characterized by long, narrow, pointed, tubular and twisted petals.	di
	Each
Attraction. The flowers are soft silvery mauve rose with white suffusion	\$.40
Betty Austin. Yellow at base, blending to rosy carmine	.40
Mount Shasta. Shell pink shading to light yellow in the center and darker at the tips.	.40
Joppa. Monster flowers; dark salmon-rose, combined with apricot and golden yellow;	
strong stems	.50
Sulphurea. Petals of soft sulphur yellow, recurve to the stem making the flower look	
like a chrysanthemum	.40
Gladys Sherwood. Pure White; Immense Size	.50
George Walters. A very large soft coral pink bloom suffused with gold	.40
Mrs. Edna Spencer. Lavender or orchid pink with lighter shadings	.50
Pink Pearl. Lilac pink with lighter tips	.25
Sweet Heart. Pure White; fine keeping qualities	.40
Cigarette. Giant flowers on strong stems; cream ground edge with pomegranite red	.75
Warren S. Seipp. Spectrum red, shading to carmine towards center	.60
Golden Gate. Pure gold; petals twisted and curled; free bloomer	.30
	.75
Ephraim Gill. Giant flowers on strong stems; amber, suffused orange scarlet	
Judge Preston. Pretty bronze borne freely on good stems	.75
Countess of Lonsdale. A blend of salmon, pink and amber	.35
Oregon. Brilliant, rose-carmine cerise	.75
Kalif. Large pure scarlet flowers	.25




SHOW DAHLIAS

This type is the most formal and perfect in shape; composed of short, stiff quills. They make excellent compact bouquets and usually outlast the other types. Dreer's White. Closely quilled petals. Best white of this type. Jean Kerr. Very large, pure white flowers. Miss Helen Hollis. Fine, large red with quilled petals. Mrs. Hartong. Soft bronzy buff. Princess Victoria. Yellow variety of perfect form. Tillamook. Immense quilled flowers of delicate blush-pink.	Each .30 .35 .25 .25 .25
DECORATIVE DAHLIAS	
Amun Ra. A giant blossom on extra long upright stem. Soft melon pink, with surface of gold, bronze center	\$.40 .75 .75
garnet; long stems	.25 .75 .75 .50 .30 .30 .30 .30 .25 \$1.00
Trentonian. Old gold, amber and coppery bronze; center reddish bronze. Sagamore. Rich golden yellow on long stems	.50 .50 1.00 1.00
PEONY DECORATIVE DAHLIAS	
The flowers are very large, and are best compared to the semi-double Peonies in general form. Billionaire. Immense flowers of a beautiful shade of golden orange	Each \$.40 .40 .40 .75 .40 .50 .30
Selma. Large flowered salmon pink	.50 .40

POMPON

We will have ten choice sorts of this type in all the colors, white, scarlet, pink, maroon, apricot, lemon, buff and bronze at a uniform price of 25c each. List of names furnished on request.






GLADIOLI

Gladioli should be planted at intervals of ten days from the time the ground can be worked (about April 15th) until July 15th. If this is done the gardener can be assured of a continuous mass of bloom from July until frost.

The following varieties were selected to give a wide range of the choicest coloring, form and size. Every sort listed here was chosen for its individuality.

	171-	D.	D. 100
Anna Eberius. Dark velvety purple with darker throat	Each \$.10	\$1.00	Per 100 \$7.00
Berty Snow. Light lavender orchid color, giant blooms on tall sturdy stems. One of the best in this color	.25	2.50	20.00
A. W. Hunt. Flaming orange red; large, wide open flowers on strong, sturdy stems that grow to a medium height	.10	1.00	7.00
Captain Boynton. Large flowers of lavender, with darker spot on lower petals	.10	1.00	7.00
Red Canna. Large scarlet blooms. One of the tallest Gladioli	.10	1.00	7.00
Giant Nymph. Light rose pink, with creamy yellow throat; very large, wide open flowers, well arranged on stems growing 6 feet tall. First size bulbs.	.10	1.00	7.00
Golden Dream. Pure golden yellow; large spikes and flowers like Golden Measure but a clearer and better color. Destined to lead in this color for cut-flowers	.10	1.00	7.00
Goliath. Showy spikes of dark maroon flowers	.15	1.50	10.00
Halley. Salmon-pink, dark red stripes on lower petals	.10	.75	5.00
Henry C. Goehl. Large solid, white flowers, slightly flushed with pink; deep crimson blotch on the lower petals	.15	1.50	10.00
Herada. Phlox color shaded with purple	.10	1.00	7.00
Iwa. Rose pink with red blotch on lower petals; tall, strong spike	.15	1.50	10.00
Joe Coleman. Vivid cardinal red brightened by crimson and maroon. Ruffled edge		1.00	7.00
Marmora. Lavender and gray; smoky type; eight enormous flowers open at once; strong grower	.50		
Mr. Mark. Light blue with dark blue blotch in throat	.20	2.00	15.00
W. H. Phipps. La France pink, overlaid with salmon rose; enormous flowers with ten or more open at once	.15	1.50	10.00
Mrs. Dr. Norton. Very large white flowers with edges suffused with soft La France pink		1.00	7.00
Mrs. Frank Pendleton. Large, salmon-pink, heavily blotched with blood-red in the throat		.75	5.00
Mrs. Frederic C. Peters. Rose lilac with crimson blotch on the lower petals; fine	.10	1.00	7.00
Mrs. Leon Douglas. Rose striped with orange and scarlet	.10	1.00	7.00
Mrs. Wm. E. Clark. Long, perfect spike of salmon pink flowers with bright crimson blotch. Certificate of merit from Am. Glad. Society	.15	1.50	10.00
Pfitzers Triumph. Unquestionably one of the best ever introduced. Stems, 5 feet tall; flowers 6 inches across; color bright orange salmon with small velvet red blotch in the throat	.25	2.50	20.00
Pink Perfection. Very large flower of a delicate pink	.10	1.00	7.00
Schwaben. A clear citron-yellow with purple tongues on lower petals		1.50	10 00
Sunnymede. Orange yellow with red blotch		1.50	10.00
Twin Fires. Pure pink with yellow blotches and scarlet spot in center		1.50	10.00
Tycko Zang. Salmon pink—white throat		1.50	10.00
Gold Medal Mixture. By far the finest mixture of Glads that we have ever offered		.45	3.50



GLADIOLI-Continued

PRIMULINUS HYBRIDS

Most pleasing self-colors that vary from pale yellow to bright salmon, apricot, and light scarlet. These graceful flowers are of medium size, of a distinct hooded style with prominent veinings on the petals. Each Doz. Per 100 \$.75 \$5.00 Maidensblush. Enchantress pink; earliest of all..... 1.00 7.00 Ming Toy. Deep buff with yellow throat..... .10 7.00 1.00 Myra. Giant flowering, deep salmon on yellow ground, tall...... .15 1.50 10.00 Ethelyn. Fine orange yellow of great substance; good cut-flower variety15 1.50 10.00 Annie Laurie. Ruffled delicate pink overlaid with light pink...... .20 2.00 15.00 Apricot Glow. Clear apricot shade..... 10.00 1.50 .15 Copper Bronze. Deep salmon overlaid with copper..... .15 1.50 10.00 Golden Frills. Daffodil yellow-pink lines on lower petals...... .20 2 00 15.00 Rose Mist. Rose red with buff showing through..... .15 150 10.00 Topaz. Buff orange; pure self color..... 1.00 7.00 Butterfly Primulinus Mixture. A very fine mixture of all colors..... .50 3.50

GERMAN IRIS

German Iris. They will grow almost anywhere, in the sun or shade, in sand or clay so long as the water does not stand on them at any time and they will survive our severest winters. They may be planted at any time between April and October but late plantings require protection from heaving late in the winter. The newer Irises rival the orchids in color range and descriptions are, at best, only meager. (S) means standard or upright petals, (F), falls or drooping petals.

Amhassadeur Height 40 in Giant flowers: S smoky bronze: E dark velvety.

Ambassadeur. Height 40 in. Giant flowers; S, smoky bronze; F, dark velvety		
maroon	.40	4.00
Iris King. S, clear lemon yellow; F, rich maroon bordered yellow	\$.35	\$3.50
Madame Chereau. S and F, white; edges frilled azure blue	.25	2.50
Mrs. H. Darwin. S, pure white; F, white, slightly violet at base	.25	2.50
Gold Imperial. 32 in. The best clear, all yellow yet produced	.60	6.00
Lent A. Williamson. 42 in. S, campanula violet; F, velvety purple	.35	3.50
Oriflamme. 24 in. Enormous flowers. S, blue lavender; F, blue purple	.25	2 50
Pallida Dalmatica. True sort. S and F, soft lavender; branching	.25	2.50
Parc de Neuilly. S and F, rich dark purple; late flowering; fragrant	.25	2.50
Rhein Nixe. S, pure white; F, deep violet blue with white edge	.25	2.50
Souv. de Mme. Gaudichau. 40 in. Giant flowers of richest deep purple	.75	7.50
Monsignor. S, beautiful deep violet; F, darkly veined crimson purple	.25	2.50

The above Iris are all extremely fine varieties and should not be confused with the older unnamed sorts.

JAPAN IRIS

Last of the wonderful Iris procession in time of flowering; but for size of plant and flowers, shapeliness, richness of coloring, beauty of pattern, and splendor of general effect it is unquestionably first.

it is unquestionably first.	Each	Doz.
1—Kumo-no obi. (Band of Gold.) Clear purple, with distinct rays and halo of white surrounding the golden throat, the pure white standards tipped		
purple	\$.35	\$3.50
2—Gekka-no-nami. (Waves under Moonlight.) Glistening white with creamy white stigmas	.35	3.50
3-Moniji-no-taki. (Maple Waterfall.) Bright rosy crimson, beautifully feathered in white. Petaloid-stigmas white, purple crested	.35	3.50
4—Koki-no-Iro. (Purple and Gold.) Rich violet purple with white petaloids tipped violet. The conspicuous golden throat extends outward in sharp		
bluish white rays	.35	3.50
5—Gold Bound. A fine double, pure white, enriched by a creamy glow from the gold banded center	.35	3.50
6—Ushiu. (Universe.) Six-petaled flowers. Color cerulean blue with golden center and white halo from which radiate many clear white lines. Standard		
white, tipped blue	.35	3.50
Superb Mixture of Japan Iris Roots, good assortment, un-named	• • • •	2.00



WATER LILIES

Owing to the greatly increased use of the outdoor pool in gardening today, we are listing a few of the plants that are best suited for culture in this locality. A small pool to accommodate three or four lilies will more than repay for the little work involved.

The Tropical Lilies listed should be treated as annual plants and replaced each year. They are strong growing and will produce a hundred or more blooms in a season if given sufficient root space.

One cubic foot of soil is about the minimum in which a filly will do well. More space should be provided if possible. A good clay loam is the best soil and should be mixed about 2/3 soil with 1/3 well rotted cow manure or sheep manure.

The Tender Lilies listed below are started plants and cannot be set outside until late May or early June. The Hardy tubers may be planted as early as April with safety.

TROPICAL OR TENDER WATER LILIES—DAY BLOOMING

	Each
General Pershing. Largest and best pink. Very free bloomer	\$4.50
August Koch. Purp'e lilac color. Strong grower. Flowers 7"-8"	2.50
Panama Pacific Opens to rich wine color changing to a Royal Purple. Very popular	2.50
Pennsylvania (Blue Beauty). Deep blue. Yellow center. Flowers 8"-12"	2.50
Mrs. Woodrow Wilson. Lavender blue. Very large flowers	2.00
Mrs. Geo. Pring. Pure white. Prolific bloomer. Flowers 8"-10"	2.00
Mrs. C. W. Ward. Rich rose pink. Yellow center. Large flowers	2.00

NIGHT BLOOMING TENDER LILIES	
Juno. Pure white. Saffron center, 8"-12" across. Bissett. Rose pink. Cup shaped. 8"-10" across. Omarana. Variegated pink. Very popular and large.	2.00
We are also able to supply a few packages of the tender lily seed. These may be started of the winter in a small dish of soil covered with a few inches of water, and kept in a warm light These will bloom in about five months from seed.	uring place.
Blue Zanzibar Water Lily Seed. Day Bloomer. 10 seeds. Package	

HARDY WATER LILIES

Strong dormant tubers which take the same general culture as the Tender Lilies. However they may be left in the pool all winter if well covered with water.

	Each
Carabanala V. 211'a 1 I	
Escarboucle. Vermillion red. Large strong grower	
Gloriosa. Red. Very large and fine. Fragrant	4.50
Comanche. Open to apricot, changing to copper bronze. Very popular	3.50
Paul Hariot. Orange changing to red through three days. Unique	3.00
James Brydon. Rosy crimson. Very free grower.	3.00
Morning Glory, Shell pink. Deeper center shading to white at tips	3.00
Marliac Rose. Fragrant rose pink. Popular	2.50
Chromatella. Best clear yellow. Very popular	2 00
Gladstone. Brilliant pure white. Large flowers	2 00
W. B. Shaw. Fragrant rich pink. Strong grower	1.50
Marliac White. Clear white with pink shading. Very vigorous	
In addition to the lilie it is seed to have a few adding start to give register and	4

In addition to the lilies it is well to have a few edging plants to give variety and naturalness to the pool. Most of the plants are potted and can be lifted and kept indoors in the

winter.	
Giant Arrowhead. Arrow shaped leaves, 1 to 3 ft. tall. Flowers spike-shaped and	
white. 3 for	\$1.00
Graceful Cat-Tail. Smaller tails than the common type and not so tall. Height about	,
4 ft. Excellent background plant. 2 for	.50
Imperial Taro. Similar to the Arrowheads with variegated leaves. Makes a good	
centerpiece for pools. Each	1.00
Papyrus. Triangular stalks 5 to 8 ft. tall. Good background for the larger pools.	
3 for	1.00
Parrot Feather. Long trailing feathery stems of bright green. Very effective for	=0
corner planting or trailing over a fountain. 3 for	.50
Primrose Creeper. A rapid growing semi-aquatic vine, leaves waxy green; flowers bright yellow. 3 for	.50
Variegated Sweet Flag. Long variegated saber-like leaves, 1½ to 2 ft. tall. Hardy	.50
3 for	1.00
Umbrella Palm. Good background plant with fine stalks and leaves resembling the ribs	1.00
of an umbrella. 3 for.	1.00
Dwarf Umbrella Palm. Dwarf form of the above. Excellent for tub culture. 3 for	1.00
Water Poppy. A submerged plant with floating leaves; flowers yellow and poppy	
shaped, 3 for	.50

All the above aquatic plants must be ordered in advance. They are very perishable and cannot be kept in stock for any length of time. However we can supply them on 2 or 3 days notice.



LILIES

Lilies thrive best in a rich, moist soil. Most varieties should be planted at least six inches deep and an inch or two deeper if of the Speciosum variety. When planted the bulbs should rest upon an inch of sand and about the same quantity should surround the bulbs on all sides. A light covering of leaves or litter should be spread when the ground freezes. Auratum (Gold Banded). Undoubtedly one of the finest. Its large, graceful, fragrant flowers are composed of six petals of a delicate ivory-white color, thickly studded with chocolate-crimson spots, and striped through the center \$4.00 5.00 Henryi (Yellow Speciosum). Deep apricot-yellow, lightly spotted brown..... .60 6.00 Regale (Myriophy.lum). The large trumpet-shaped, delicately scented flowers, are ivory-white, shaded pink, tinged with canary-yellow at the base of the 5.00 Speciosum Album. Pure white with a green band traversing the center of each .50 5.00 Speciosum Rubrum. With ruby spots distributed over a broad expanse of white40 4.00 Superbum. A beautiful, native variety, bright, reddish-orange, spotted...... .25 2.50 Tigrinum Splendens. Bright orange-red, spotted with black..... .25 2.50 Tigrinum Flore Plena. Bright orange-scarlet, spotted black..... .30 3.00 Umbellatum Grandiflorum. Coppery-orange, bell shaped flowers..... 3.50 .35 PAEONIES The cultural requirements of the Paeony are few and simple: A sunny position; a deep, rich soil and a plentiful supply of water during the growing season.

We offer only whole roots as we do not handle "divisions" or "eyes". The planting of whole roots means the saving of two or three years in securing perfect blooms. Each Each Couronne d' Or. Good sized flowers, of creamy white, sometimes flaked with carmine at center..... \$2.50 2.50 .50 2.50 Felix Crousse. Double heads; deep crimson, marked with cardinal. Late..... .50 3.00 Festiva Maxima. White, inner petals, slightly tipped crimson..... 2.50 .40 .40 2.50 2.50 Mons. Jules Elie. Pure pink; broad reflexing guards with a high pyramidal .75 3.00 body Sarah Bernhardt. Apple blossom pink, with each petal tipped with silver..... .75 3.00 Virginie. A dainty pink with yellow stamens..... 3.00 TUBEROSES The bulbs grow in any garden soil, but should be planted where the sun can reach them all day and with the tops out. Doz. Per 100 Double Pearl. First size and quality. 3 for 25c.....\$.75 \$5.50 POT GROWN BEDDING PLANTS For further descriptions see under Flower Seed List. Doz. AGERATUM. Blue annual useful for bedding; in bloom throughout the sum-.....\$.10 \$1.00 .75 ALYSSUM. One of the best known annuals, flowers all summer..... .10 ANTIRRHINUM. (Snapdragon.) In separate colors..... 100 .10 ASTERS. Admirable for vases and table decorations. Pot grown..... .75 CALENDULA. Disc-like double flowers, in shades of yellow and orange...... .10 100 .10 1.00 .75 .40 DAISY, ENGLISH. Hardy, pink and white, fine for bordering...... GERANIUMS. Standard sorts such as S. A. Nutt, Madame Barney, etc. Each 35c to 50c. GERMAN STOCK. Spikes of fragrant flowers; fine for cutting..... 1.50 .15 1.00 HELICHRYSUM (Straw Flowers). Double flowers of brilliant co'ors...... .10


1.50

2.00

.15

.20

HELIOTROPE. Excel'ent for bedding, very fragrant, fine for cutting......LANTANA. Half-hardy perennial with blossoms resembling Verbenas.....



POT GROWN BEDDING PLANTS (Continued)

LARKSPUR, ANNUAL. Blue, Carmine, Pink and White	.25 .10 \$.10	Doz. .75 2.50 1.00 \$1.00
of colors		.40
PETUNIA. Rosy Morn and Balcony Fringed		1.00
PETUNIA. Cal. Giants. From 2½ inch pots, each 10c; 3 inch		2.50
SALVIA. Long spikes of brilliant scarlet flowers. From 2½ inch pots, each		
10c; 3-inch		1.50
SALPIGLOSSIS. Yellow, crimson and purple	.10	1.00
VERBENA. Heads of brilliant, colored flowers		.75
WALLFLOWER. Sweetly scented flowers in the early spring. Colors are the	2	
various shades of reds and yellows	.15	1.50
ZINNIAS; Giant Flowering. All colors	.10	1.00

VEGETABLE PLANTS

As usual we will have a large supply of all kinds of Vegetable Plants such as Cabbage, Cauliflower, Celery, Tomato, Egg and Pepper Plants, Strawberry and Sweet Potato Vines at reasonable prices. As far as possible, these are raised from our own stock seed of the best varieties for home use and they may be relied upon. Ready in May and June.

VINES

VIIALS		
E	ach	Doz.
Boston Ivy. (Ampelopsis Veitchii.) Perfectly hardy and able to cling to brick or stone walls; strong 2-year roots. Ready in March. Each 50c. Pot Grown Boston Ivy, in leaf, ready in June\$.75	
Celastrus Scandens. (Bittersweet.) Handsome glossy foliage and large clus-		
ters of beautiful, orange-crimson fruits retained all winter. 2 year	.50	
Cinnamon Vine. Beautiful glossy leaves	.15	\$1.25
Clematis Paniculata. (Japanese Clematis.) A perfectly hardy vine. Blossoms white, fragrant, and so abundant as to suggest a cloud. Out of two inch pots. Each 15c; 2 for 25c. 2 year Roots, each 40c.		
Dutchman's Pipe. (Aristolochia Sipho.) A hardy vine with large heart-shaped leaves and brownish flowers resembling miniature pipes. Strong dormant plants in March.	.75	
Honeysuckle. (Hall's). White, fragrant flowers. Perfectly hardy and foliage is retained very late. Two year old Dormant Roots 40c each; Plants out of pots, each 15c; 2 for 25c.		
Madeira Vine. A rapid-climbing plant, having beautiful, wax-like leaves and feathery white flowers, with a delicious fragrance resembling mignonette.		
Ready in April. 2 for 25c	.15	
Moonflower Vine. Flowers, immense in size and pure white, open at night, and are delicately fragrant. Grows best in the sun, and requires rich soil		
and plenty of water. 2 for 25c	.15	• • • •
POLYGONUM AUBERTI		
	Cach	Doz.
It is almost unbelievable that a hardy vine could grow so fast and so far in the first season, and the second and later seasons only increase one's wonder. In June and again in August the vine produces masses of fronds of tiny white flowers in such profusion as to almost hide the leaves	.75	

WISTERIA VINES		
•	Each	
Purple Wisterias have a place no other vine can fill; two year roots	\$.75	




HARDY PLANTS

For further descriptions see under Flower Seed List.	Each	Doz.
ACHILLEA (The Pearl). Pure white flowers, fine in the cemetery. 2 feet high. ACONITUM (Monkshood). Deep blue flowers of branching habit		\$1.50
ALYSSUM (Saxatile Compactum). Masses of yellow flowers in May	.25 .15	2.50 1.50
ANEMONE (Japonica, White or Pink.) Autumn flowering plants	.20	2.00
ANCHUSA ITALICA (Dropmore Variety). Gentian-blue	.15	1.50
AOUILEGIA (Columbine). The most varied and delicate combinations of color.	.15	1.50
ARTEMESIA (Wormwood). Large, branching panicles of creamy white		
flower-heads ASTERS, Hardy. Masses of blooms throughout the fall.	.25 .15	2.50
BAPTISA. Australis. Racemes of indigo-blue flowers in mid-summer		1.50 1.50
BOLTONIA. Latisquama. Large sprays of lavender-pink flowers		2.00
CAMPANULA (Calycanthema). Large cup-and-saucer-shaped flowers		2.00
CAMPANULA (Medium Canterbury Bells). One of the most popular biennials.	.20	2.00
CAMPANULA (Pyramidalis). Forms a perfect pyramid, crowded with large		
blue flowers	.20	2.00
CANDYTUFT (Annual Iberis). Fine for massing in beds or borders or cutting CENTAUREA MONTANA. Flowers of violet blue from July to September		2.00 1.50
CHRYSANTHEMUM. White, Red, Pink and Yellow. Last splendidly when		1.50
cut and will remain in bloom outside after other flowers have been killed		
by frost	.20	2.00
COREOPSIS LANCEOLATA. Flowers of rich golden-yellow during the entire		
summer SHASTA DAISY (Alaska). Blossoms 4½ to 5 inches across; white		1.50
DELPHINIUM (Belladonna). Large spikes of the most delicate turquoise-blue.	.15	1.50 1.50
DELPHINIUM (Bellamosa). A very dark blue variety	.15	1.50
DELPHINIUM (Gold Medal Hybrids). Grand assortment of colors	.15	1.50
DIANTHUS PLUMARIUS (Spice or Border Pink). Flowers strongly clove-	.20	2.00
scented		
DICENTRA (Bleeding Heart). Heart-shaped pink flowers are always attractive		5.00
DICENTRA (Formosa) (Plumy Bleeding Heart). A low-growing species;		3.00
showy pink flowers	.25	2.50
DIGITALIS (Foxglove). Bloom profusely during June and July	.20	2.00
FORGET-ME-NOT. The ever-blooming variety	.20	2.00
FUNKIA VARIEGATA. Flowers lilac; leaves a deep green, striped yellow GAILLARDIA GRANDIFLORA (Blanket Flower). The large brown center is	.20	2.00
surrounded with scarlet or crimson rings, with an outer border of orange		
or vellow	.15	1.50
GEUM COCCINEUM (Mrs. Bradshaw). With large double flowers of a fiery		
red	.15	1.50
GYPSOPHILA (Baby's Breath). Cloud-like sprays of minute white flowers HELIOPSIS EXCELSA. Chrome-yellow bleaching to clear yellow as flower	.15	1.50
matures		2.00
HEMEROCALLIS THUNBERGI (Yellow Day Lily)		2.00
HEUCHERA SANGUINEA. Graceful spikes of bloom much prized for cutting.		2.59
MALLOW MARVELS. New varieties, with the richest colors; enormous		
flowers		2.00 1.50
IBERIS (Hardy Candytuft). Handsome evergreen foliage; white flowers		2.00
LAVENDER. Deliciously fragrant perennial		2 00
LATHYRUS (Hardy Sweet Pea). Free-flowing perennial climber	.20	2 00
LIATRIS (Blazing Star). Tall rocket-like spikes of rosy purple flowers		2 09
LOBELIA CARDINALIS. Long spikes of fiery scarlet flowers	.20	2.00
LUPINES, HARDY. Large spikes of Pink, Blue and White flowers	.25 .25	2.50 2.50
MONARDA ROSEA (Bee Balm). Bright Rose colored flowers with aromatic		2.30
foliage	.20	2.00
OENOTHERA (Evening Primrose). Beautiful, yellow blooms from June to)	
September	.25	2.50
POPPY (Iceland). Flowers ranging from white to deep orange-scarlet		2.00 2.00
POPPY (Orientale). Gigantic orange-scarlet flowers		2.00
HARDY PHLOX. Magnificent spikes of showy Pink, White and Red flowers		2.50
year after year, with comparatively little care	.20	2.00
PHLOX SUBULATA (Moss Pinks). Mass of pink blooms in early spring		1.50
PHYSOSTEGIA (False Dragon-Head). Mid-summer flowering perennial, form-		1.50
ing bushes 4 to 6 feet high, bearing spikes of pink and white flowers PLATYCODON (Chinese Bell Flower). Large blue flowers in July and August		1.50



HARDY	PLA	ANTS	(Continued)
-------	-----	------	-------------

	Each	Doz.
PYRETHRUM (Painted Daisy). Foliage fine cut and attractive. Flowers in		
shades of pink, crimson and white		1.50
in the border or in a sheltered nook in the rockery		2.00
frost	.15	$1.50 \\ 1.50$
SCABIOSA. Large lavender blue flowers borne on long stems	.20	2.00
late fall	.20	2.90
large, spreading panicles of small "everlasting" flowers	.20 .20	2.00 2.00
SWEET WILLIAM (Dianthus). Free-flowering perennial, producing splendid effects, with their rich and varied flowers	.15	1.50
TRITOMÁ PFITZERI (Red Hot Poker). Rich brilliant orange, very fine TROLLIUS. Mammoth bright yellow flowers, May to August	.25	2.50 5.00
YUCCA (Filamentosa). Tall spikes of fragrant creamy flowers appear in June		
and July.	.35	3.50
ORNAMENTAL SHRUBS		
ALMONDDouble Pink. The very double, rose colored flowers are borne	in the	Each
greatest profusion, 18/24 in. size	antities	\$.50
of brightly colored flowers, 24/36 in. size	oge is a	.40
rich bronze red, becoming brighter and handsomer as the season advance have the coloring at its best this should be planted in full sunlight, 12	es. To	
10 for \$3.50		.40
JAPANESE BARBERRY (Berberis Thunbergii). The hardiest and most value this family; a hedge plant that will turn man or beast by its density of grow	vth and	
its numerous thorns, 15/18 in. Each 25c; 10—\$2.00; 18/24 in., each 35c; 10 BUDDLEYA (Butterfly Bush). Many know it as the Summer Flowering Lilac.	-\$3.00.	
prime during July and August. Two year plants		.50
CALYCANTHUS (Carolina Allspice). Its straight shoots covered with large leaves, from the axils of which spring odd, double, red flowers that are	spicily	
fragrant. 15/18 in. size		.50 .40
DEUTZIA (Gracillis). Dwarf growing, pure white flowers in May. 12/15 in DEUTZIA (Lemoinei). Large flowers of pure white, borne in cone-shaped		.35
18/24 in	,	.45
DEUTZIA (Pride of Rochester). Flowers large double white. 2/3 feet FORSYTHIA (Golden Bell). Suspensa. Long drooping branches covered with	yellow	.45
trumpet-shaped flowers in April. 2/3 feet		.60
plants show glorious masses of golden-yellow flowers. 2/3 feet		.45
BUSH HONEYSUCKLE (Tartarica Rubra). Flowers deep rose pink. 2/3 feet.		.45 .50
HYDRANGEA (Japanese or Paniculata). Immense heads of white blooms the brown in the fall and remain thus for months in the house as a winter b	at turn ouquet.	
18/24 in. HYDRANGEA (Arborescens or Snowball Hydrangea). Makes a wonderful		.40
all through July to September. 18/24 in		.40
HYDRANGEA (Tree Form). 3 to 4 feet		1.15 .55
MOCK ORANGE (Philadelphus coronarius). Orange-scented, creamy-white flow May and June. 2/3 ft. plants	wers in	.45
MOCK ORANGE (Coronarius grandiflorus). Larger more conspicuous white	flowers	
than the preceding. 2/3 ft. plants	e larg-	.45
est, handsomest, and most sweetly fragrant of any known variety, with blooming season. 1½/2/2 ft	longest	.45
blooming season. 1½/2 ft PRIVET (Californian). The most popular of the privets, foliage dark green; rapidly. 18/24 in. plants. Ten—\$1.00; 100—\$6.00. 24/30 in. plants, ten-	grows	
100—\$8 00.		
SNOWBERRY (S. Racemosus). Inconspicuous rose colored flowers in June an followed by, large clustered, milk white fruits. 2/3 feet		.40
INDIAN CURRANT (S. Vulgaris). Similar to the Racemosus except that its	fruits	40



ORNAMENTAL SHRUBS (Continued)

	Each
SPIREA (Anthony Waterer). This is one of the best dwarf red-flowering shrubs. 15/18 in. plants	.40
SPIREA (Douglasi). Upright in growth. Bears spikes of beautiful deep rose-colored flowers in July. 2/3 feet	.45
SPIREA (Thunbergii). The white flowers appear in great numbers very early in the spring. 18/24 in.	.40
SPIREA (Van Houttei). (Bridal Wreath). The pure white flowers appear in early summer. Very hardy. 2/3 ft. plants	.25
WEIGELA (Rosea). Great quantities of pink flowers, appear in May, June and July. 2 to 3 ft. plants	.45
WEIGELA (Eva Rathke). Attractive flowers of deep carmine. 18/24 in	.60

HARDY ROSES

Roses should be planted in rich, well prepared soil, preferably clay loam, fertilized with well rotted manure or bone meal. They should be given thorough, but shallow cultivation. The best results can be obtained when planted in the open sunlight. All Roses are benefitted by winter protection, by banking about the plant with earth or covering with a light mulch of leaves or peat moss. Roses should be trimmed in the spring before growth starts, shaping the plant and removing all canes that have become weakened by blooming. The health and vigor of the plant can be improved by removing the dead flowers during the summer.

To counteract any damage to the leaves by worms use Arsenate of Lead; for aphis, thrip, or red spider, use Nicotine; and for fungus use Bordeaux Mixture or Sulphur.

HYBRID TEA ROSES (Everblooming or Monthly Roses)

Columbia. A beautiful True Pink Rose of enduring color.

Dame Edith Helen. A magnificent fragrant, full bodied new rose of many substantial petals which curl back prettily, holding steadily to one vivid pink color.

Edel. Large bloom of purest white with ivory base.

Gruss An Teplitz. Color scarlet, shading to velvety crimson, very fragrant.

Independence Day. Flaming yellow buds, heavily shaded with copper and brown, fading to light orange-pink.

Los Angeles. Flame-pink toned with coral and shaded with gold at the base of the petals. The blossoms are very fragrant and of lasting color.

Mme. Butterfly. Charming bright pink, shaded apricot and gold.

Mme. Edouard Herriot. A glorious commingling of terra cotta bronze, geranium red and dull copper; fine, long, pointed buds of coral red and yellow.

Pink Pearl. Bright rose pink with salmon base, and red suffusion slightly accented at the margin.

Pink Radiance. The color a beautiful carmine rose with shades of opal and copper.

William F. Dreer. Soft, silvery shell pink.

Chas. K. Douglas. Flaming scarlet, flushed with velvety crimson.

Mme. Jules Bouche. Pure white, slightly blush at center.

Any of above, 2 year field grown plants \$.55 each	, the 12 for	\$6.00
Potted Roses in bud and bloom, ready early in June.	Each	1.00

Etoile de Holland. Brilliant crimson red.

Miss Rowena Thom. Brilliant rose pink suffused with gold at base of petals......

President Herbert Hoover. Cerise pink, flamed with yellow, orange and scarlet.

Mrs. A. R. Barraclough. Pure pink, yellow at base of petals.

Red Columbia. Velvety crimson-scarlet.

Rev. F. Page=Roberts. Golden yellow, stained outside with red.

Talisman. Apricot and deep pink.

Ville de Paris. Sunflower yellow.

John Henry. Deep carmine pink.

Eldorado. Bud red-orange; flower pure yellow without fading out.

Wilhelm Kordes. Exquisite golden yellow flushed with orange and copper red.



HARDY CLIMBING ROSES

American Beauty. Color a pleasing rose-pink; of splendid form, a strong, healthy vigor-	
ous grower. American Pillar. A single flowering variety of great beauty. The flowers are of large size, of a lovely shade of pink with clear white eyes and clusters of yellow stamens	6 10
Doctor Van Fleet. Large flowers resembling Tea Roses of flesh-tinted white on very	
long stems Dorothy Perkins. A beautiful shell-pink; foliage finer, smoother and darker than	.40
Crimson Rambler. This is unquestionably the thriftiest, showiest, and most practical of the older pink climbers	.40
Gardenia. The tight, very numerous little yellow buds, are beautiful in early summer, the flowers opening up creamy white, jasmine scented.	
Mary Wallace. A new Pillar Rose type. Flowers well-formed, semi-double, bright clear rose-pink and salmon. Flowers generally exceed 4 inches in diameter. Very	
hardy Paul's Scarlet Climber. A brilliant, vivid scarlet which is maintained from bud until	.40
the petals fall. Medium in size, in clusters of from three to six flowers each Silver Moon. Large semi-double pure white flowers with yellow stamens	.40
Tausendschoen. The individual flowers are of a most elegant and graceful form, not stiff or unnatural, but as beautiful as a semi-double Azalea. These are produced	.40
in trusses, each truss a veritable bouquet of flowers of varying shades of pink and	40
white Mme. Gregoire Staechelin. Fragrant climber; dark bud, changing to carmine and	.40
finally to pearly pink	\$.95
SMALL FRUITS	
Gooseberries, all varieties, 2 year, field grown, each \$.25 to \$.40.	
Grapes, red, white or black varieties, 2 year, each, \$.25 to \$.55. Currants, red or white, 2 year, field grown, each	.25
Blackberries, several kinds, 2 year, each	.10
Raspberries, red or black, 2 year, each	.10
They or above in quantity at a reduction in price.	
FRUIT TREES	
Apples, leading varieties, standards 5-7 feet high. Each	\$.60
Apples, leading varieties, standards 5-7 feet high. Each	.75
Apples, Dwarfs. Each	.75 .70 .65
Apples, Dwarfs. Each	.75 .70 .65 .40
Apples, Dwarfs. Each	.75 .70 .65 .40
Apples, Dwarfs. Each	.75 .70 .65 .40
Apples, Dwarfs. Each. Cherries. Sweet varieties, 5-7 feet. Each. Sour varieties. Each. Peaches, all varieties, early and late, 4-5 ft. Each. Pears, all varieties, early and late, 5-6 ft. Each. Plums, all varieties, 5-7 ft. Each. INSECTICIDES AND SPRAYING COMPOUNDS	.75 .70 .65 .40 .65 .65
Apples, Dwarfs. Each. Cherries. Sweet varieties, 5-7 feet. Each. Sour varieties. Each. Peaches, all varieties, early and late, 4-5 ft. Each. Pears, all varieties, early and late, 5-6 ft. Each. Plums, all varieties, 5-7 ft. Each. INSECTICIDES AND SPRAYING COMPOUNDS Most injurious Insects are roughly divided into two groups, those that chew or cor the foliage or flowers, which may be reached with stomach poisons and those that suc	.75 .70 .65 .40 .65 .65
Apples, Dwarfs. Each. Cherries. Sweet varieties, 5-7 feet. Each. Sour varieties. Each. Peaches, all varieties, early and late, 4-5 ft. Each. Pears, all varieties, early and late, 5-6 ft. Each. Plums, all varieties, 5-7 ft. Each. INSECTICIDES AND SPRAYING COMPOUNDS Most injurious Insects are roughly divided into two groups, those that chew or cor the foliage or flowers, which may be reached with stomach poisons and those that suc plant juices which require a substance that kills by contact. Several of these may be	.75 .70 .65 .40 .65 .65
Apples, Dwarfs. Each. Cherries. Sweet varieties, 5-7 feet. Each. Sour varieties. Each. Peaches, all varieties, early and late, 4-5 ft. Each. Pears, all varieties, early and late, 5-6 ft. Each. Plums, all varieties, 5-7 ft. Each. INSECTICIDES AND SPRAYING COMPOUNDS Most injurious Insects are roughly divided into two groups, those that chew or cor the foliage or flowers, which may be reached with stomach poisons and those that suc	.75 .70 .65 .40 .65 .65
Apples, Dwarfs. Each. Cherries. Sweet varieties, 5-7 feet. Each. Sour varieties. Each. Peaches, all varieties, early and late, 4-5 ft. Each. Pears, all varieties, early and late, 5-6 ft. Each. Plums, all varieties, 5-7 ft. Each. INSECTICIDES AND SPRAYING COMPOUNDS Most injurious Insects are roughly divided into two groups, those that chew or corthe foliage or flowers, which may be reached with stomach poisons and those that sucplant juices which require a substance that kills by contact. Several of these may be bined for an all around spray on a small scale operation, but might be wasteful an	.75 .70 .65 .40 .65 .65 .65
Apples, Dwarfs. Each. Cherries. Sweet varieties, 5-7 feet. Each. Sour varieties. Each. Peaches, all varieties, early and late, 4-5 ft. Each. Pears, all varieties, early and late, 5-6 ft. Each. Plums, all varieties, 5-7 ft. Each. INSECTICIDES AND SPRAYING COMPOUNDS Most injurious Insects are roughly divided into two groups, those that chew or cor the foliage or flowers, which may be reached with stomach poisons and those that suc plant juices which require a substance that kills by contact. Several of these may be bined for an all around spray on a small scale operation, but might be wasteful an pensive otherwise. Be sure to learn into which class the pest belongs that you wish to bat to avoid disappointment with your efforts. Lb. 41bs. 19 Arsenate of Lead. Powder. The best remedy against canker worm,	.75 .70 .65 .40 .65 .65 .65
Apples, Dwarfs. Each. Cherries. Sweet varieties, 5-7 feet. Each. Sour varieties. Each. Peaches, all varieties, early and late, 4-5 ft. Each. Pears, all varieties, early and late, 5-6 ft. Each. Plums, all varieties, 5-7 ft. Each. INSECTICIDES AND SPRAYING COMPOUNDS Most injurious Insects are roughly divided into two groups, those that chew of corthe foliage or flowers, which may be reached with stomach poisons and those that sucplant juices which require a substance that kills by contact. Several of these may be bined for an all around spray on a small scale operation, but might be wasteful an pensive otherwise. Be sure to learn into which class the pest belongs that you wish to bat to avoid disappointment with your efforts. Lb. 41bs. It Arsenate of Lead. Powder. The best remedy against canker worm, curculio and all leaf-eating insects on any plant, tree or shrub. A pure article that will not burn the foliage. Ours is the purest to be	.75 .70 .65 .40 .65 .65 .65
Apples, Dwarfs. Each. Cherries. Sweet varieties, 5-7 feet. Each. Sour varieties. Each	.75 .70 .65 .40 .65 .65 .65
Apples, Dwarfs. Each. Cherries. Sweet varieties, 5-7 feet. Each. Sour varieties. Each. Peaches, all varieties, early and late, 4-5 ft. Each. Pears, all varieties, early and late, 5-6 ft. Each. Plums, all varieties, 5-7 ft. Each. INSECTICIDES AND SPRAYING COMPOUNDS Most injurious Insects are roughly divided into two groups, those that chew of corthe foliage or flowers, which may be reached with stomach poisons and those that sucplant juices which require a substance that kills by contact. Several of these may be bined for an all around spray on a small scale operation, but might be wasteful an pensive otherwise. Be sure to learn into which class the pest belongs that you wish to bat to avoid disappointment with your efforts. Lb. 41bs. It Arsenate of Lead. Powder. The best remedy against canker worm, curculio and all leaf-eating insects on any plant, tree or shrub. A pure article that will not burn the foliage. Ours is the purest to be had. It sticks to the foliage. Use as directed on the package\$.45 \$1.50	.75 .70 .65 .40 .65 .65 .65
Apples, Dwarfs. Each Cherries. Sweet varieties, 5-7 feet. Each Sour varieties. Each	.75 .70 .65 .40 .65 .65 .65
Apples, Dwarfs. Each. Cherries. Sweet varieties, 5-7 feet. Each. Sour varieties. Each	.75 .70 .65 .40 .65 .65 .65



INSECTICIDES AND SPRAYING COMPOUNDS (Continued)

Fish Oil Soap. Prevents the ravages of mealy bug and various kinds of worms and insects that infest the bark of trees and shrubs. Per 1b. 40c.

Flit. This insect exterminator will destroy Moths, Roaches, Fleas, Chicken Lice, Ants, Flies, etc. May be used in any ordinary hand sprayer. It has a pleasant, aromatic odor and may be sprayed directly upon furniture, clothing, draperies or wall-paper without danger of injury or staining. It is non-poisonous and should be used in every home as a vermin preventative. Pint 75c—Quart \$1.25—Special Outfit for Household use—1 Pint and Sprayer \$1.00.

Lime and Sulphur Wash is conceded to be the best remedy, all things considered, that there is against San Jose scale, Scurvy Bark Louse, Oyster Shell Scale, etc., while the lime has some value against some fungus diseases also.

For a winter spray use one gallon of Wash to eleven of water and in summer one to sixteen. Per quart 40c; gallon 85c; 5 gallons \$3.25; barrel of 45 to 50 gallons, 24c per gallon, f. o. b. Cleveland.

Nicotine. A liquid used for killing Aphis or Green Fly on roses, etc. May be sprayed or vaporized. 40 per cent strength, per lb. \$2.75; ½ lb. \$1.50; ¼ lb. 80c; small bottles 25c. Unmailable.

Nicotine-Pyrox. A combination of Bordeaux, Lead and Nicotine, forming a combination for protection against fungus, leaf-eating and sucking insects. 1 lb. 50c; 5 lbs. \$1.75

RED-SQUILL RAT POWDER. The government officials in the U. S. Agricultural Department are much concerned about the enormous annual loss caused by rats. A rat destroying agency that would be safe to use around the home and poultry yard and at the same time leave no annoying odors was long sought and finally found in this RAT POWDER. It is dusted on or mixed into any food the rats like and if there is enough to go around, it cleans them out. It is perfectly harmless to humans, house pets or even Baby Chicks. A package is enough for one pound of food. Price, 25c. Postage, 3c.

Hammond's Slug Shot. Recommended for most worms and caterpillars which infest cabbage plants, currants, gooseberries and the like. 1 lb. Sifter Carton, 20c; 5 lbs. 65c.

Scalecide. This is a miscible oil effective against scale on fruit and shade trees. It is used the same as the Lime and Sulphur Wash, opinions differing as to which is the best to use when considering the effects on the trees. Use 15 gallons of soft water to one of Scalecide. Price, Quart 75c; \$1.75 per gallon; 5 gallons for \$6.00; 10 gallons for \$10.00; 50 gallon barrel \$28.00.

Sulphur-Flowers of. Very finely pulverized for arresting mildew. Pkt. ½ lb. 15c; lb. 25c.

Tobacco Dust. Fertilizer and insecticide. An excellent fertilizer for lawns and gardens, and a good preventive against cut worms and leaf eating caterpillars. Dust onto the plants when they are wet, and for cut worms spread on the ground around the plants to be protected. If you have been troubled with wormy radishes or sickly lettuce, use a tablespoonful to the foot in the bottom of the furrow and sow the seeds right in the Tobacco Dust. It is a sure cure and will give you perfect radishes and lettuce. Per lb. 20c; 5 lbs. 90c; 10 lbs. \$1.75; 25 lbs. \$3.75.

Tree Tanglefoot. Similar to that used in making fly-paper. It is easily applied and is a most effective and economical protection for Fruit, Shade and Ornamental Trees against all crawling insects such as Canker Worms, Climbing Cut Worms, Ants; and the caterpillars of the Gypsy, Brown Tail and Tussock Moths. Prices, 1 lb. can 60c; 5-lb. can \$2.75; 10-lb. can \$5.25; 25 lb. pail \$11.00.




SEMESAN

The modern Disinfectant for seeds, bulbs, corms, roots and tubers of vegetables and flowers. There are a number of plant diseases that become established in the soil and hinder or entirely destroy the plants they attack. These diseases go by various names and affect many kinds of plants but the treatment is the same for any, namely put a small amount of Semesan in the package of seed and shake thoroughly before planting or in the case of roots or bulbs dust on or soak in a solution as directed. 2 ounce tin 50c.



BEGINNER'S READY-TO-USE OUTFIT



With Bees and Queen, All Ready to Go to Work

This outfit comes nailed and painted ready for use, with a 2-pound package of Italian bees and queen. It includes one-story 10-frame hive with full sheets of foundation, Standard smoker, Boardman feeder, bee-veil, hive-tool, "Starting Right with Bees," and explicit printed directions for handling outfit. It affords an easy and sure way to begin beekeeping.

Write us for the A. I. Root Co.'s complete 48 page free catalogue.

FERTILIZERS

The need for different formulas of Fertilizers is based on the needs of the plants. Nitrogen, sometimes called Ammonia, produces the leaves, Phosphoric Acid, enlarges the flowers and fills out the seeds and Potash makes the roots and stiffens the plant stem. Which fertilizer to use should be governed by the results sought, most plants requiring some of each of the above elements but varying in the percentage. We handle the following list and make the analyses speak for each formula but should add by way of caution that the higher the analysis the stronger the product and the more care should be used to follow directions in order to avoid burning. The figures given represent the percentage of Nitrogen, Phosphoric Acid and Potash respectively and always in the same order.

Triple XXX Soil-Bil-Der. 10-6-4. 5 lbs. 60c; 25 lbs. \$1.75; 50 lbs. \$3.00; 100 lbs. \$5.00; ton \$96.00.

Lawn=Garden Pure Bone Fertilizer. 1.65=27=0. 5 lbs. 40c; 25 lbs. \$1.25; 50 lbs. \$2.00; 100 lbs. \$3.50; ton \$60.00.

Pulverized Sheep Manure. 2-1-2. 25 lbs. \$1.00; 50 lbs. \$1.75; 100 lbs. \$3.00; ton \$48.00.

Pure Raw Bone Meal Fertilizer. 3.70-20-0. 100 lbs. \$4.50; ton \$72.00.

Soil-Bil-Der. 4-12-1. This is Sheep Manure with chemicals added to comply with the new State Fertilizer Law. 25 lbs. \$1.25; 100 lbs. \$3.50; ton \$60.00.

Nitrate of Soda. 16% Nitrogen. Dissolve one teaspoonful in a gallon of water and sprinkle on the ground around the plants. 1 lb. 20c; 5 lbs. 60c; 25 lbs. \$2.25; 100 lbs. \$5.00.

Nitrate of Potash. 14-0-44. Highly concentrated. Use one teaspoonful to one gallon of water on the ground around the plants. 1 lb. 25c; 5 lbs. \$1.00; 25 lbs. \$4.00.

Sulphate of Ammonia. 25½% Ammonia. Highly efficient to destroy weeds, such as Dandelions, Chickweed, etc., in the lawn and to use as a fertilizer. 1 lb. 15c; 5 lbs. 60c; 25 lbs. \$1.50; 100 lbs. \$5.00.

Agricultural Lime. Use 1 lb. to 5x10 feet on acid soil once in five years and if very acid use not over twice as much. 50 lbs. \$1.00.



11-15-20. Highly concentrated and pressed into small tablets to put, one in a five-inch pot once a month. Box of 30, 25c; by mail, 28c; 75 for 50c; by mail 56c; 150 for \$1.00; by mail \$1.07.

Superior Plant Food. 111/2=6-8. High grade article intended for potted plants. 7 oz. tin, 50c; by mail 56c; 16 oz. tin \$1.00; by mail \$1.08.

Muriate of Potash. 48% Potash. For tubers and root crops and to make plants sturdy. 1 lb. 20c, 5 lbs. 60c, 25 lbs. \$2.25.

Sulphate of Aluminum. Used around Rhodendrons and Azaleas to keep the soil acid. 1 lb. 25c, 5 lbs. \$1.00.


Manure! More Manure!

You must have manure, and thanks to ADCO you can have quantities of it. You can turn every bit of vegetable refuse—cuttings, weeds, leaves, etc., from the garden, straw and cornstalks from the farm, into rich manure by the simple ADCO Process, Information free.

ADCO is a chemical preparation much like lime that is successfully used to reduce waste vegetable matter to usable compost in one season. A pit or a large enough box is gradually filled with refuse and sprinkled periodically, layer by layer with ADCO and kept moist. 25 lbs. \$2.25, 150 lb. sack \$11.50. Delivery extra.

GRANULATED PEAT MOSS

The more we observe and use this recent addition to aids in successful gardening the more enthusiastic we become. It has innumerable uses, such as lightening heavy soil, covering small seeds, mulching plants and shrubs during the summer to retain moisture, and in winter to prevent heaving, spreading on the lawn after seeding and fertilizing to protect the seed until it sprouts, mixing with soil for potting, rooting cuttings, growing bulbs in the house in water and a bowl, in the chicken coop to conserve the droppings, in short it is almost as useful as the soil itself and practically assures success wherever and whenever it is used. Used with discretion a bale will last two or three years in the ordinary home garden, as it contains about 18 bushels when ready to use. A bale is 2x2x3 feet. Price, 1 bale \$4.50, 5 bales at \$4.25, 10 bales at \$4.00 each. If taken, 50c per bale reduction will be allowed.



Pets and Supplies

OUR BIRDS

Our birds are all imported from the best bird-breeding countries of the old world; and are tested for song before leaving the homes of their breeders; the next test is made immediately upon their arrival in this country. When they arrive at our store they are again tested and classified according to the purity of their note-tones and the quality and length of their songs. At this final testing the price of each individual bird is decided upon. This price is governed by the bird's qualifications as a singer

It is because of these several tests that we have gained the reputation for having the choicest birds. As we value this reputation, we have fitted out a separate room where customers may choose any bird they prefer, taking as much time as they desire. Most of the best canaries reaching this country are the St. Andreasburg Rollers, the louder Hartz Mountain Warblers, the Blue Ribbon Choppers and the large English or Norwich singers. We also sell Australian Shell Parokeets or Love Birds and in season, female canaries for breeding.

The prices of the birds vary from season to season; but tested singers having the best physical traits are usually priced at from \$8.00 to \$12.00, while some having songs of unusual quality will be priced higher; others, whose songs have not fully developed, and yet may eventually prove to be splendid singers are priced below the minimum quoted above.

BIRD SUPPLIES

The Bird Foods and Remedies offered in the following pages have been made and sold by this company for over fifty years. Competing preparations by the dozens have come and gone during this time, while the sale of our preparations increases each year. Our foods and remedies could not have survived this competition unless they possessed the unusual merit that we claim for them.

Our large stocks of valuable birds are nourished and conditioned with exactly the same preparations that we offer for sale.

WILSON'S MIXTURE OF CANARY AND RAPE SEED

is now, as it has been for over fifty years, a blend of the finest and cleanest Canary and Rape Seed that it is possible to purchase. Food for human epicures is not selected with more care than we give to the selection and mixing of these seeds; and it is a peculiar fact that more than a quarter of a century before an enterprising baking company began to pack food for human consumption in sealed packages, this company was sealing bird-seed in card-board containers so it would reach the customer as fresh and clean as when mixed.

If your bird refuses the seed you now get for him or if it fails to nourish him sufficiently try this mixture of ours. Put up in pound cartons and priced at 20c. By mail, postpaid, 27c.

WILSON'S SONG RESTORER AND CANARY BIRD FOOD

When birds are sick or out of song this will restore both health and melody. Birds in perfect health may have their song improved by regular feedings of this, as directed on the container. Price 20c. By mail, postpaid, 25c.

WILSON'S MOCKING BIRD FOOD


The ingredients of this food are selected and mixed, with the object of duplicating as nearly as possible the diet of the birds living in their natural state. It contains vegetable, animal and insect components; and its use will keep the birds in the best of physical condition and consequently in good song.

tion and consequently in good song.

This food will be relished by Mocking Birds, Thrushes, Troopials, and all soft-billed birds. The price is 50c per can. By mail, 60c.

WILSON'S PARROT SEED

contains a mixture of the seeds best suited to the nourishment and sustenance of the parrot. This mixture contains many food elements not supplied by the sunflower seed alone. It is thoroughly recleaned, well cured and packed in sealed cartons so it reaches the customer fresh and clean. Carton containing 1½ lbs., 30c. By mail, 38c.



WILSON'S CHOICE SUNFLOWER SEED

This seed is selected expressly for Parrot Food and consists entirely of clean, plump, meaty kernels; it makes a nourishing ration for the birds; and next to Wilson's MIXED Parrot Seed is the best seed to feed him. Per lb., 20c. By mail, 27c. Write for special prices in bulk.

WILSON'S BIRD TONIC

A certain cure for loss of song, weakness when moulting, colds, asthma or hard breathing, shedding feathers out of season and other diseases of cage birds. Price 25c. By mail, postpaid, 33c.

WILSON'S PARROT TONIC

A cure for colds, lack of condition, over-feeding, plucking feathers, etc. Price, 40c. By mail, postpaid, 45c.

WILSON'S PURE INSECT POWDER

For Use on Birds

Made from fully developed Pyrethrum flowers; bolted to extreme fineness to insure penetration to the roots of the feathers. Non-poisonous to Birds or Animals but sure death to insects. In 1 oz. bottles, 20c. In Blow Guns, 30c. Either by mail, 5c extra.

SILVER LAKE SAND

is necessary to the welfare of the cage-bird, which having no teeth for chewing its food must depend upon grit taken into the crop to masticate and prepare the food for the digestive processes. The sand is priced at 10c per box of 2 lbs. By mail, postpaid, 18c.

SAND PAPER FOR BIRD CAGES

We prepare this paper ourselves using the best materials to safeguard the health of the bird. A great convenience in the home. Comes twelve sheets in a package in the following sizes: No. 1, 8½x8½ in. No. 2, 8¾x6¾ in. No. 3, 9¼x7¾. No. 4, 10¾x7¾ in. No. 5, 11¾x85% in. No. 6, Round, 9 in. in Dia. No. 7, Round, 11 in. in Dia. Price, No. 1, 2, 3, or 4, 20c per doz. Nos. 5 or 6, 25c; No. 7, 30c.

Outside Bird Bath. Celluloid and Colored Enamel; attaches to outside of cage at the door. Does away with all spattering of cage and surroundings. Size 4x4½ inches. Price \$1.00.

Bird Cups. Various styles, flint glass or porcelain, to fit cages of different makes. Each 20c and up.

Bird Cages. Various sizes, different makes, brass and Duco, in different colors, and stands to match.

Parts for Bird Cages. Perches, Springs, Pans, etc.

Breeding Cages and Supplies. Nests, Hair, etc.

Cuttle Bone. Plain, per pound, \$1.00; dressed, \$2.00. Each, 5c; with wooden holder, each, 10c.

Food Cups. For feeding Song Food and Dainties, each, 10c.

Sheppard's Song Restorer.

Haller's Dutch Song Food.

Haller's Bird Remedies.

Sergeant's Dog Remedies.

Clayton's Cat Remedies.

Champion Dog Foods.

Burnett's Song Food.

Magic Song Food.

Bird Manna. Bird Pies.

Glover's Dog Remedies.

Spratt's Dog Remedies and Foods.

Bennett's Milk Bone for Dogs.

Fancy Goldfish

Fish Food of several kinds

Cabomba or Sea Weed

Fish Globes, one to five gallon sizes

Aquariums, three to fifteen gallon sizes

Aquarium Cement

Quantity of Seeds Usually Sown to the Acre

Beans, Dwarf, in drills or rows. 1 to 1½ bush. "Pole, in hills. 8 "12 qts. Beets, in drills. 4 "5 lbs. Barley, broadcast. 2 3 bush. Buckwheat. 34 1 Broom Corn, in hills. 6 8 qts. Carrots, in drills. 3 3½ lbs. Cucumbers, in hills. 1 2 lbs. Corn, in hills. 6 8 qts. " in drills. 2 3 bush. Clover, Red, alone. 15 20 lbs. " White, alone. 8 10 " " Alsike, alone. 8 10 " " Lucerne. 10 20 " Flax, broadcast. 1 2 bush. Grass, Timothy or Herds, alone. ½ 3 " " Red Top, alone. 1½ 2 " " Lawn, alone. 5 6 " " Orrhard, alone. 2 3 "	Millet, alone. 34 to 1 bnsh. Mustard, broadcast 12 " 16 lbs. Oats, broadcast 2 " 3 bush. Onions, in drills 1 " 6 lbs. Parsnips, in drills 1 " 6 " Pens, Early, in drills 1 14 " 11/2 bush. "Marrow, in drills 1 1/4 " 11/2 " "Broadcast 2 1/2 " 3 " Potatoes, cut tubers, in drills 8 " 10 " Radish, in drills 8 " 10 lbs. Rye, broadcast 1 1/4 " 11/4 bush. Salsify, in drills 8 " 9 lbs. Spinach, in drills 8 " 9 lbs. Spinach, in drills 1 " 11/4 " Wheat, broadcast 1 " 11/4 " Wheat, broadcast 1 " 11/4 " General Grass Seeding for Mowing Land
" Lawn, alone 5 " 6 "	General Grass Seeding for Mowing Land Red Clover \{ \text{together} \} \(.6 \text{ lbs, Red Clover} \) Timothy \{ \text{for} \} \(.\frac{1}{3} \text{ lbs, Alsike Clover} \) Alsike Clover \(.3 \text{ lbs, Alsike Clover} \)

Quantity of Seed Required for a Given Number of Plants, or Number of Hills, or Length of Drill

1 4- CO for 4 of 3-41	U. J. Walan Wash
Asparagus	
Beet 1 oz. " 50 "	Okra 1 oz. " 40 feet of drill
Beans, Dwarf 1 qt. " 100 "	Onions1 oz. " 100 "
Beans, Pole	Onions, Setts, small1 qt. " 40 "
Carrot 1 oz. " 150 feet of dril	
Cabbage 1 oz. " 3,000 plants	Parsnip
Cauliflower	Peas1 qt. " 100 "
Celery 1 oz. " 4,000 "	Pepper 1 oz. " 2,000 plants
Cucumber	Pumpkin 1 oz. " 40 hills
Corn1 qt. " 400 "	Radish
Dandelion	1 Salsify
Endive 1 oz. " 150 "	Spinach
Egg Plant 1 oz. " 2,000 plants.	Squash, Early
Lettuce 1 oz. " 4,000 "	Squash, Marrow1 oz. " 10 "
Leek 1 oz. " 100 feet of dril	Tomato
Melon, Water 1 oz. " 30 hills	Turnip 1 oz. " 100 feet of drill

Number of Plants, Trees, Vines, Etc., Required to Set an Acre

	Dista	nce.									1	V I	111	nl	bei	٠.				D	ist	aı	ıe	e.										N	111	nb	er	
1	ft. by	1	f	 	 	 	 		 				.4	13	,56	0			5 f	t.	by	ř	6	1	١.		 		 	 	 		 			1,	210)
11		115	**	 	 	 	 		 				. 1	19	,36	0			3				8	**			 		 	 	 		 				680)
2	**	1	**	 	 	 	 		 		 		.2	21	,78	0		10)	6	4	1	10	4.6			 		 	 	 						434	Į
2	**	2	**	 	 	 	 		 				. 1	10	,89	0		1:	2	4	4	- 1	12	44			 		 	 	 		 				302	2
21,	**	21.	**	 	 	 	 		 					6.	.97	0		13	5			1	15	+4			 		 	 	 		 				194	Į
3 '	44	1	••	 	 	 	 		 				. 1	14	,52	0		18	3	4	6	1	18	64			 		 	 	 	 i	 				134	Į
3	**	2	**	 	 	 	 		 					7	,26	0		20)		•	2	20	44			 	 	 	 	 		 				103	}
3	**	3	**	 	 		 		 					4	,94	0		25	5		4		25														70)
4	**	4	**	 	 	 	 		 					2.	.72	2		30)	٠	•	- 5	30	+6			 	 	 		 		 				40)
5	**	5	**	 	 	 	 		 					1	,74	2		4()	٠	6	4	10	44		 	 	 	 	 	 		 				27	

Weight of Various Articles in the State of Ohio

Apples	nor hi	1 48 1	he	Orchard Grassper bu, 14 lbs	
Apples, dried	per b	22	"	Onions	•
Raplay	44	48	64	Peaches	
Barley	44	60	44	Peas. "60 "	
	44	50	46		
Buckwheat	- 66	46	44		
Broom Corn	60		44	z opeoznici i i i i i i i i i i i i i i i i i i	
Blue Grass, Kentucky		14	66	rape	
" English	44	24	44	Rye " 56 "	
Bran		20	44	Red 10p Seed 14	
Canary Seed	"	60		Sait, coarse 50 "	
Clover Seed	**	60	44	Salt, Michigan " 56 "	
Corn, shelled	44	56	**	Sorghum " 50 "	
Corn, on ear	44	68	**	Sweet Potatoes " 50 "	
Corn Meal	44	50	44	Timothy Seed	
Charcoal	4+	22	44	Tomatoes " 56 "	
Coal, Mineral	**	80	44	Turnips " 60 "	
Coal, Cannel	44	70	44	Wheat " 60 "	
Coke	66	40	44	Flour, per bbl., net	
Cow Peas	64	60	46	Salt, per bbl " 280 "	
Cranberries	44	40	46	Lime, per bushel	
Dried Peaches	**	32	*1	Hay, well settled per cubic foot, 41/2"	
Flax Seed	44	56	44	Corn, on cob, in bin	
Hemp Seed		4.4	44	Corn, shelled, in bin " 45 "	
Hungarian Grass Seed	64	48	44		
Irish Potatoes, heaping measure	44	60	44	Wheat, In Diff	
Millet	64	50	44	Oats, in bin " 25½"	
	44	34	66	Potatoes, in bin	
Malt	44	32	46	Sand, dry, in bin " 95"	
Oats	66	33	16		
Osage Orange		0.5	,	Clay, compact " 135 "	



Wilson's Remedies For Birds

STANDARD IN CLEVELAND FOR TWO GENERATIONS

Wilson's Bird Tonic Wilson's Parrot Remedy

Wilson's Highest Grade Bird Seeds

Wilson's Song Restorer Breeder's Supplies

Singing and Breeding Canaries

Bird Cages Globes and Aquariums

Bennett's Milk Bone Fancy Gold Fish

Glover's and Sergeant's Dog Remedies

Champion Dog Foods Clayton's Cat Remedies

Spratt's Cat and Dog Foods

A. C. KENDEL'S SEED STORE

Operating the former

WILSON'S BIRD STORE